FULL LINE CATALOGUE

Innovative Mounting Solutions

2015

COMPANY

Edbak Ltd is since 1992 a leading designer and manufacturer of AV mounting display solutions and accessories. Our off the shelf product ranges include flat panel mounts, trolleys and stands, projector mounts, desktop and tablet mounts and kiosks and environmental enclosures. In addition Edbak is specialized and experienced in providing bespoke solutions via a dedicated custom design service.

Edbak has introduced the latest automated machine technologies together with traditional techniques in its ISO 9001 facilities, ensuring improved speed and precision whilst retaining TUV certified product quality. In house product development and engineering staff ensure the ability to meet and serve multiple vertical markets with customers including OEM's, commercial integrators, distributors and consumers.

Edward Bąk
President of the Board





EDBAK – Business Partner Area

Edbak has designed and developed an automated B2B support area for our Business Partners.
It is directly linked and updated from our SAP system to ensure our partners can receive critical information whatever time it is needed 24/7.

The Business Partner Area is fully comprehensive and includes all areas of ordering, stock, account and invoicing and contact details for our support staff.

Key advantages and features included:

- Easy “real time” direct ordering online.
- Check the current state of existing orders.
- Access to current inventory.
- Access to current balance, delivery notes, invoices and credits.
- Self-supply address management.
- Direct contacts with sales and support staff.
- Marketing database featuring brand and technical support downloads.

ICONS MAP

Screen Size

Swivel


Distance from Ceiling


Mouting Patern

Tilt


Height Adjustment

Max Load


Distance from Wall

Landscape to Portrait

TABLE OF CONTENTS

PROJECTOR MOUNTS 19

CEILING 20
PROJECTOR SHORT THROW WALL MOUNTS 22
PROJECTOR THEFT DELAY HOUSINGS 23
TROLLEYS 25
ACCESORIES 26

TROLLEYS AND STANDS 29

STANDS 30
TROLLEYS 33
ELECTRIC HEIGHT ADJUSTABLE TROLLEYS 45
VIDEOCONFERENCING 47
ACCESORIES 52

VIDEO WALLS 55

WALL MOUNTED VIDEO WALL QUICK RELEASE POP-OUT VIDEO WALL MOUNTS 56
FULL SERVICE VIDEO WALL MOUNT 58
FIXED VIDEO WALL MOUNTS 60
WALL MOUNTED VIDEO WALL XL QUICK RELEASE POP-OUT VIDEO WALL MOUNTS 62

FLAT PANEL WALL MOUNTS 65

SUPER SLIM FIXED WALL MOUNTS 66
FIXED WALL MOUNTS 71
TILTING WALL MOUNTS 76
WALL MOUNTING SYSTEM 80
THIN SWING ARM WALL MOUNTS 81
SWING ARM WALL MOUNTS 81
HEAVY DUTY SWING ARMS 84
FLAT SCREEN CEILING MOUNTS 86
FLAT SCREEN DESK MOUNT 89
ACCESORIES 91

MENU BOARDS 93

MONITOR MOUNTS 101

WALL MONITOR MOUNTS 102
DESK MONITOR MOUNTS 110
MEDICAL MONITOR MOUNTS 123
UNDERSHELF MONITOR MOUNTS 124
CEILING MONITOR MOUNTS 125
ACCESORIES 128

TABLETS 129

DESK MOUNTED 130
STANDS 131

INFOKIOSKS AND ENCLOSURES 133

INDOOR SYSTEMS 134
OUTDOOR SYSTEMS 139
SCREEN ENCLOSURES 140

PROJECTOR MOUNTS

▸ Ceiling

Index	Picture	Adjustment possibility	Max. capacity	Extension	Color	Dimensions (HxWxD)	Page
PM1 Universal Projector Ceiling Mount (3 fixing points)		90° / 90°	15 kg	min. 448 mm max. 656 mm	black silver white	656 x 450 x 450 mm	20
PM2 Universal Projector Ceiling Mount (4 fixing points)		90° / 90°	15 kg	min. 448 mm max. 656 mm	black silver white	656 x 480 x 480 mm	20
PM3 Universal Projector Ceiling Mount (3 fixing points)		90° / 90°	15 kg	min. 250 mm max. 300 mm	black silver white	300 x 420 x 420 mm	21
PM6 Universal Projector Ceiling Mount (3 fixing points)		22° / 22°	15 kg	min. 769 mm max. 1155 mm	black silver	1155 x 545 x 454 mm	21
PM8 Universal Projector Ceiling Mount		7,5° / 7,5°	15 kg	650-1100 mm	black silver white	1100 x 545 x 545 mm	22

▸ Projector Short Throw Wall Mounts

Index	Picture	Adjustment possibility	Max. capacity	Extension	Color	Dimensions (HxWxD)	Page
PM7 Universal Projector Wall Mount (3 fixing points)		-15,5° / +10°	15 kg	min. 800 mm max. 1293 mm	black silver	1293 x 93 x 545 mm	22
WPM1 Universal Projector Wall Mount		7,5° / 7,5°	15 kg	800 - 1293 mm	black silver white	1293 x 236 x 545 mm	23

▸ Projector Theft Delay Housings

Index	Picture	Max. capacity	Color	Dimensions (HxWxD)	Page
PSC21 Indoor Projector Theft Delay Housing - small		15 kg	black silver white	420 x 380 x 230 mm	23
PSC22 Indoor Projector Theft Delay Housing - medium		15 kg	black silver white	450 x 420 x 280 mm	24
PSC23 Indoor Projector Theft Delay Housing - large		15 kg	black silver white	540 x 540 x 290 mm	24

▸ Trolleys

Index	Picture	Adjustment possibility	Max. capacity	Extension	Color	Dimensions (HxWxD)	Page
PT01 Projector Trolley		-5° / +15°	10 kg	800 - 1293 mm	black silver	1060 x 640 x 220 mm	25
PT02 Projector Trolley with shelf		-5° / +15°	10 kg	800 - 1293 mm	black white grey	1800 x 360 x 140 mm	25

TROLLEYS AND STANDS

Index	Picture	Screen size	VESA (mm)	Max. wpcapacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
STD01 32"-55" Screen Stand		32"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 310 mm max. 1700 mm	nd	1700 x800 x 350 mm	30
STD02 32"-47" Screen Stand		32"-47"	600x400	60 kg	1703 mm	nd	1703 x 640 x 238 mm	30
STD03 19"-32" LCD Stand		19"-32"	75x75 100x100	10 kg	1047 mm	0°/45°	1047 x 250 x 250 mm	31
STD04 19"-32" LCD Stand		19"-32"	75x75 100x100	10 kg	1048,5 mm	0°/45°	1048,5 x 559 x 350 mm	31
STD15 32"-47" Screen Stand		32"-47"	300x300 400x300 400x400 600x400	30 kg	1200 mm	nd	1200 x 720 x 480 mm	32
STD16 32"-47" Screen Stand		32"-47"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	30 kg	1880 mm	6,5°/12°	1720 x 800 x 570 mm	32
SV52 19"-27" LCD Stand		19"-27"	75x75 100x100	10 kg	1650 mm	120°	1650 x 664 x 545 mm	33
TR1 42"-70" Flat Screen AV Trolley		42"-70"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1700 mm	-6°/+9°	1810 x 1127 x 694 mm	33
TR2 42"-70" Flat Screen AV Trolley		42"-70"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1700 mm	-6°/+9°	1810 x 1070 x 500 mm	34
TR4 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1700 mm	-6°/+9°	1700 x 1000 x 500 mm	34
TR5 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 250 mm max. 1700 mm	-6°/+9°	1810 x 1144 x 690 mm	35
TR51 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 250 mm max. 1700 mm	-6°/+9°	1700 x 1140 x 703 mm	35
TR5-2MC 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 250 mm max. 2105 mm	-6°/+9°	2105 x 1144 x 702,5 mm	36

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
TR7 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	1606 mm	nd	1606x897x536 mm	36
TR8 37"-60" Low Level Flat Screen Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	1006 mm	0/+28°	1006x1070x500 mm	37
TR9 37"-60" Flat Screen AV Trolley		37"-60"	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	50 kg	min. 895 mm max. 1710 mm	nd	1784x600x640 mm	37
TR10 37"-60" Flat Screen AV Trolley		37"-60"	75x75 100x100	50 kg	min. 1360 mm max. 1640 mm	nd	1780x1023x767 mm	38
TR17 32"-55" Flat Screen AV Trolley		32"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	50 kg	1590x2390 mm	nd	2390x1127x694 mm	38
TR18 60"-95" Flat Screen AV Trolley		60"-95"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	1700 mm	nd	1869x1705x815 mm	39
TR12 37"-60" Dual Flat Screen AV Trolley		37"-60"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	100 kg	1950 mm	-6,5°/+12°	2083x1116x802 mm	39
TTR1 40"-55" AV Trolley with telescopic height adjustment		40"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 1275 mm max. 1775 mm	-6°/+9°	1175x1140x703 mm	40
TTR1INOX 40"-55" AV Trolley with telescopic height adjustment		42"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 1275 mm max. 1775 mm	-6°/+9°	1175x1140x703 mm	40
TR3 37"-60" Dual Flat Screen AV Trolley		37"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 200 mm max. 2000 mm	-6°/+9°	2000x1070x500 mm	41
TR14 40"-47" Dual Flat Screen AV Trolley		40"-47"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1600 mm	nd	1850x1800x815 mm	41
TR20 50"-60" Dual Flat Screen AV Trolley		50"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1700 mm	nd	1874 x 2200 x815 mm	42

QUICK REFERENCE CHART

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
TR21 32"-37" Dual Flat Screen AV Trolley		32"-37"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 300 mm max. 1700 mm	0/+28°	1805 x 1127 x 694 mm	42
TR6.12 37"-55" Dual Flat Screen AV Trolley		37"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	120 kg	min. 520 mm max. 1700 mm	-6,5°/+12°	1830 x 1700 x 800 mm	43
TR6.22 37"-55" Quad Flat Screen AV Trolley		37"-55"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	100 kg	min. 520 mm max. 1700 mm	-6,5°/+12°	1830 x 1700 x 800 mm	43
SV55 19"-27" Flat Screen AV Trolley		19"-27"	75x75 100x100	10 kg	1270 mm	250°	1270 x 690 x 690 mm	44
SV53 19"-27" Universal Adjustable Trolley with PC Mount		19"-27"	75x75 100x100	10 kg	1270 mm	250°	1270 x 690 x 690 mm	44
ETR1 40"-55" Trolley for screen		40"-55"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	40 kg	min. 1030 mm max. 1850 mm	-6,5°/+12°	1850 x 1144 x 703 mm	45
ETR2 40"-55" Trolley for screen		40"-55"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	40 kg	min. 1030 mm max. 1850 mm	-6°/+9°	1835 x 1144 x 770 mm	45
ETRE3 40"-60" Electric height adjustment trolley for screen		40"-60"	100x100 200x100 200x200 300x300 400x200	40 kg	min. 825 mm max. 1657 mm	-6°/+9°	1182 x 1657 x 723 mm	46
ETRE4 40"-60" Electric height adjustment trolley for screen		40"-60"	75x75 100x100	40 kg	min. 825 mm max. 1500 mm	-6°/+9°	1382 x 1500 x 723 mm	46
EVCT155 42"-55" Video Conferencing Trolley with motorised height adjustment		42"-55"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 950 mm max. 1600 mm	nd	987 x 1718 x 564 mm	47
EVCT170 60"-70" Video Conferencing Trolley with motorised height adjustment		60"-70"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 950 mm max. 1600 mm	nd	987 x 1718 x 564 mm	47
EVCT247 40"-47" Video Conferencing Trolley with motorised height adjustment		40"-47"	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400 800x200 800x400	80 kg	min. 950 mm max. 1600 mm	nd	987 x 1718 x 564 mm	48
VCTR195 65"-95" Video Conferencing Trolley		65"-95"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	1700 mm	nd	1845 x 1705 x 878 mm	48
VCTR237 32"-37" Video Conferencing Trolley for Dual Screens		32"-37"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	min. 1590 mm max. 2390 mm	nd	1805 x 1127 x 694 mm	49

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
VCTR247 40"-47" Video Conferencing Trolley for Dual Screens		40"-47"	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	80 kg	1700 mm	nd	1850 x 1705 x 878 mm	49
VCTR260 50"-60" Video Conferencing Trolley for Dual Screens		50"-60"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	80 kg	min. 300 mm max. 1700 mm	nd	1874 x 2200 x 815 mm	50
MTR100 65"-70" Mega Trolley		65"-70"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	120 kg	min. 200x100 mm max. 800x600 mm	nd	1520 x 860 x 700 mm	50
MTR101 80"-85" Mega Trolley		80"-85"	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400 800x200 800x400	120 kg	min. 200x200 mm max. 800x400 mm	nd	1700 x 1110 x 870 mm	51

VIDEO WALLS

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
VWPOP65-L 42-65" Quick Release Pop-Out Universal Video Wall Mount, Landscape		42"-65"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	120 kg	85 - 270 mm	-0/+28°	824 x 530 x 80 mm	56
VWPOP65-P 42-65" Quick Release Pop-Out Universal Video Wall Mount, Portrait		42"-65"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	60 kg	85 - 270 mm	-0/+28°	512x 530 x80 mm	57
VWFS65-L 42-65" Full Service Universal Video Wall, Landscape		42"-65"	100x100 600x400	60 kg	85 - 270 mm	-0/+28°	824 x 500 x 80 mm	58
VWFS65-P 42-65" Full Service Universal Video Wall, Portrait		42"-65"	100x100 400x300	60 kg	85 - 270 mm	-0/+28°	512 x 500 x 80 mm	59
VWFX65-L 42"-65" Fixed Universal Video Wall, Landscape		42"-65"	100x100 600x400	60 kg	7,5 mm	nd	826 x 500 x 80 mm	60
VWFX65-P 42"-65" Fixed Universal Video Wall, Portrait		42"-65"	100x100 300x400	60 kg	85 - 270 mm	nd	514 x 500 x 80 mm	61
VWPOP95-L 70"-95" Quick Release Pop-Out Universal Video Wall Mount, Landscape		70"-95"	100x100 800x600	120 kg	100 - 310 mm	-0/+28°	1084 x 700 x 100 mm	62
VWW2255POP-L Video Wall pop-out for 4 screens 55", Landscape		55"	100x100 600x400	200 kg	min. 100x100 mm max. 600x400 mm	nd	2100 x 1210 x 100 mm	63

FLAT PANEL WALL MOUNTS

▸ Super Slim Fixed Wall Mounts / Fixed Wall Mounts / Tilting Wall Mounts / Wall Mounting System

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
ECB100 32"-37" Superslim Wall Mount		32"-37"	100x100 200x200	25 kg	26 mm	nd	245 x 240 x 26 mm	66
ECB200 37"-46" Superslim Wall Mount		37"-46"	100x100 200x200 300x300 400x300	25 kg	26,13 mm	nd	440 x 330 x 26,13 mm	66
ECB300 37"-46" Superslim Wall Mount		37"-46"	100x100 200x200 300x300 400x300 400x400	25 kg	25 mm	nd	440 x 484 x 25 mm	67
EWB100 26"-40" Fixed Wall Mount		26"-40"	75x75 100x100 200x100 200x200 300x300 400x200	40kg	25,5 mm	nd	495 x 370 x 25,5 mm	67
EWB200 40"-65" Fixed Wall Mount		40"-65	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	40 kg	25,5 mm	nd	850 x 470 x25,5 mm	68
SWM100 27"-40" Slim Wall Mount		27"-40"	200x100 200x200 300x300	20 kg	13,8 mm	-0°/+8°	502,4 x366,6 x 13,8 mm	68
SWM200 42"-55" Slim Wall Mount		42"-55"	200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	40 kg	25,5 mm	nd	902,4 x 466,6 x 13,8 mm	69
LSM1 26"-47" Fixed Wall Mount		26"-47"	75x75 100x100 200x100 200x200 300x300 400x200 400x400	40 kg	25 mm	nd	565 x 500 x 25 mm	69
PSM1 37"-65" Fixed Wall Mount		37"-65"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	40 kg	25 mm	nd	865 x 500 x 25 mm	70
TSM1 32"-47" Fixed Wall Mount		32"-47"	100x100 200x100 200x200 300x300 400x200 400x400	60 kg	23,8 mm	nd	594 x 500 x 23,8 mm	70
XSM1 37"-65" Fixed Wall Mount		37"-65"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	60 kg	23,75 mm	nd	894 x 500 x 23,75 mm	71
PWM100 32"-40" Fixed Wall Mount		32"-40"	100x100 200x100 200x200 300x300 400x200	40 kg	47 mm	nd	530 x 350 x 47 mm	71
PWM200 42"-55" Fixed Wall Mount		42"-55"	200x200 300x300 400x200 400x400	50 kg	49 mm	nd	724 x 450 x 49 mm	72

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
LWB1 26"-42" Fixed Wall Mount		26"-42"	75x75 100x100 200x100 200x200 400x200	60 kg	41 mm	nd	540 x 260 x 41 mm	72
PWB1 42"-60" Fixed Wall Mount		42"-60"	100x100 200x100 200X200 300x300 400x200 400x400 600x400	80 kg	41 mm	nd	800 x 500 x 41 mm	73
TWB1 65"-75" Fixed Wall Mount		65"-75"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	80kg	41 mm	nd	900 x 500 x 48,5 mm	73
XWB1 80"-95" Fixed Wall Mount		80"-95"	200x200 300x300 400x200 400x400 600x400 800x200 800x400 1200x400	110 kg	42 mm	nd	1260x540x42 mm	74
LWB3 26"-40" Portrait Wall Mount		26"-40"	75x75 100x100 200x100 200x200 300x300 400x200	60 kg	41 mm	nd	1260 x 540 x 42 mm	74
PWB3 42"-60" Portrait Wall Mount		42"-60"	100X100 200X100 200X200 300X300 400X200 400X400 600X400	80 kg	44,6 mm	nd	458 x 780 x 44,6 mm	75
TWB3 65"-75" Portrait Wall Mount		65"-75"	100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	80 kg	44,6 mm	nd	550 x 950 x 44,6 mm	75
XWB3 80"-95" Portrait Wall Mount		80"-95"	200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	80 kg	41 mm	nd	600 x 1245 x 41 mm	76
SWM150 26"-47" Slim Tilt Wall Mount		26"-47"	100x100 200x100 200x200 300x300 400x200 400x400	35 kg	21 mm	-0°/+10°	502,4 x 450 x 21 mm	76
SWM250 42"-55" Slim Tilt Wall Mount		42"-55"	100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x400	45 kg	21 mm	-0°/+10°	902,4 x 450 x 21 mm	77
LWB2 26"-40" Tilt Wall Mount		26"-40"	75x75 100x100 200x100 200x200 400x200	60 kg	75,33 mm	-6°/+12°	540 x 300 x 41 mm	77
PWB2 42"-60" Tilt Wall Mount		42"-60"	100x100 200x100 200x200 300x300 400x200 400x400 600x400	80 kg	77,4 mm	-6°/+12°	800 x 500 x 77,4 mm	78
TWB2 60"-65" Tilt Wall Mount		60"-65"	100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	80 kg	77,4 mm	-6°/+11°	910 x 220 x 75 mm	78

QUICK REFERENCE CHART

Index	Picture	Screen size	VESA (mm)	Max. capacity	Height adjustment	Tilt	Dimensions (HxWxD)	Page
EWB150 26"-40" Tilt Wall Mount		26"-40"	75x75 100x100 200x100 200x200 300x300 400x200 400x400	40 kg	48,75 mm	/+12°	495 x 470 x 48,75 mm	79
EWB250 42"-65" Tilt Wall Mount		42"-65"	75x75 100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	40 kg	48,75 mm	/+12°	850 x 470 x 48,75 mm	79
AVS1 26"-60" Wall Mounting System		26"-60"	100x100 200x100 200x200 300x300 400x200 400x400 600x400 800x200 800x400	80 kg	83,4 mm	-6°/+12°	400 x 1225,8 x 83,4 mm	80
AVS2 26"-60" Wall Mounting System		26"-60"	100x100 200x100 200x200 300x300 400x200 400x400	30 kg	184 mm	nd	540 x 788 x 184 mm	80

▸ Thin Swing Arm Wall Mounts / Swing Arm Wall Mounts / Heavy Duty Swing Arms

Index	Picture	Screen size	Max. capacity	VESA (mm)	Adjustment possibility	Extension	Dimensions (HxWxD)	Page
PWS2 32"-50" Swing Arm Wall Mount		32"-50"	25 kg	200x200 400x200 400x400 600x200 600x400 400x200	/-10°	62/638 mm	638 x 660 x 440 mm	81
LWR1 26"-40" Swing Arm Wall Mount		26"-40"	60 kg	75x75 100x100 200x100 200x200 400x200	-6,5°/+12°	456 mm	456 x 540 x 300 mm	81
LWS1 26"-40" Swing Arm Wall Mount		26"-40"	60 kg	75x75 100x100 200x100 200x200 400x200	-2°/+14°	min. 197 mm max. 611 mm	611 x 540 x 300 mm	82
PWR1 42"-55" Swing Arm Wall Mount		42"-55"	80 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400 400x200 400x400	-6,5°/+12°	458 mm	458 x 800 x 500 mm	82
PWS1 42"-55" Swing Arm Wall Mount		42"-55"	80 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400 400x200 400x400	-2°/+14°	613 mm	613 x 800 x 500 mm	83
SFS1 42"-52" Swing Arm Wall Mount		42"-52"	80 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400 400x200 400x400	nd	483 mm	440 x 800 x 550 mm	83
RMSA1 42"-90" Heavy Duty Swing Arm Wall Mount		42"-90"	120 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	-10°/+10°	min. 150 mm max. 700 mm	700 x 850 x 520 mm	84
RPWS1 42"-70" Heavy Duty Swing Arm Wall Mount		42"-70"	120 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	-6,5°/+12°	min. 150mm max. 800 mm	800 x 980 x 520 mm	84

Index	Picture	Screen size	Max. capacity	VESA (mm)	Adjustment possibility	Extension	Dimensions (HxWxD)	Page
PWS3 42"-60" Dual Swing Arm Wall Mount		42"-60"	80 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	-2°/+14°	min. 169 mm max. 817 mm	734 x 800 x 500 mm	85
PWS4 42"-60" Dual Swing Arm Wall Mount		42"-60"	80 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	-2°/+14°	min. 150 mm max. 800 mm	783 x 800 x 500 mm	85
CPWS1 42"-70" Corner Rotating Swing Arm Wall Mount		42"-70"	120 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x200 600x400	-10°/+10°	min. 150mm max. 800 mm	800 x 980 x 520 mm	86

▸ Flat Screen Ceiling Mounts

Index	Picture	Screen size	Max. capacity	VESA (mm)	Adjustment possibility	Extension	Dimensions (HxWxD)	Page
CMLS2 32"-47" Adjustable Ceiling Mount		32"-47"	30 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400 400x200 400x400 600x400	-0°/+22°	min. 1332 mm max. 1770 mm	1170 x 800 x 183 mm	86
CMS1 32"-65" LCD Ceiling Mount		32"-65"	60 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400	-12,5°/+6,5°	1677 mm	1677 x 800 x 200 mm	87
CMS2 32"-65" Adjustable Ceiling Mount		32"-65"	60 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400	-12,5°/+6,5°	min. 1775 mm max. 2575 mm	1775 x 800 x 200 mm	87
CMS21 26"-55" Adjustable Ceiling Mount. Weight capacity		26"-55"	60 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400	-12,5°/+6,5°	min. 1775 mm max. 2575 mm	2175 x 800 x 200 mm	88
CMS3 32"-65" Dual Ceiling Mount		32"-65"	120 kg	75x75 100x100 200x100 200x200 400x200	-12°/+6,5°	min. 1450 mm max. 2250 mm	1450 x 800 x 326 mm	88
CMS4 37"-55" Large Triple Ceiling Multi Directional Mount		37"-55"	120 kg	100x100 200x100 200x200 300x300 400x200 400x400 600x400	12,5°/+6,5°	1355 mm	1355 x 800 x 269,5 mm	89

▸ Flat Screen Desk Mount

Index	Picture	Screen size	Max. capacity	VESA (mm)	Adjustment possibility	Extension	Dimensions (HxWxD)	Page
MSV1 32"-46" MSV1 Screen Desk Mount		32"-46"	15 kg	75x75 100x100 200x100 200x200	40°	405 mm	405 x 220 x 120,5 mm	89
MSV2 32"-46" MSV2 Screen Desk Mount		32"-46"	15 kg	75x75 100x100 200x100 200x200	40°	405 mm	705 x 220 x 120,5 mm	90

MENU BOARDS

Index	Picture	Screen size	Adjustment possibility	Max. capacity	Extension	Page
MB1155-L 40"-55" Ceiling Mount for x1 screen, Landscape		40"-55"	-0°/+20°	60 kg	1500 mm	94
MB2155-L 40"-55" Ceiling Menu board for x2 screens, Landscape		40"-55"	-0°/+20°	120 kg	1500 mm	94
MB3155-L 40"-55" Ceiling Menu board for x3 screens, Landscape		40"-55"	-0°/+20°	120 kg	1500 mm	95
MB1155BB-L 40"-55" Ceiling Menu board for back to back screen, Landscape		40"-55"	-0°/+20°	180 kg	1500 mm	95
MB3155BB-L 40"-55" Ceiling Menu board for x3 back to back screens, Landscape		40"-55"	-0°/+20°	160 kg	1500 mm	96
MB2155BB-L 40"-55" Ceiling Menu board for x2 back to back screens, Landscape		40"-55"	-0°/+20°	240 kg	1500 mm	96
MB1155-P 40"-55" Ceiling Menu board for x3 back to back screens, Landscape		40"-55"	-0°/+20°	60 kg	1500 mm	97
MB2155-P 40"-55" Ceiling Menu board for x2 screens, Portrait		40"-55"	-0°/+20°	120 kg	1500 mm	97
MB1155BB-P 40"-55" Ceiling Menu board for back to back screens, Portrait		40"-55"	-0°/+20°	120 kg	1500 mm	98
MB2155BB-P 40"-55" Ceiling Menu board for x2 back to back screens, Portrait		40"-55"	-0°/+20°	240 kg	1500mm	98
MB155W-L 40"-55" Menu board for multiscreens configuration wall mount, Landscape		40"-55"	-0°/+20°	**60 kg**	1500 mm	99
MB355T-L 40"-55" Ceiling Menu board for x3 screens, triangle, Landscape		40"-55"	-0°/+20°	**180 kg**	1500mm	99
MB455Q-L 40"-55"Ceiling Menu board for x4 screens, Squared, Landscape		40"-55"	-0°/+20°	**240 kg**	1500 mm	100
MB455BBS-L 40"-55" Ceiling Menu board for x4 screens, back-to back, stacked mounts, Landscape		40"-55"	-0°/+20°	**240 kg**	1500 mm	100

MONITOR MOUNTS

▸ Wall Monitor Mounts

Index	Picture	Screen size	Adjustment possibility	Max. capacity	Extension	Dimensions (HxWxD)	Page
GD21 19"-27" LCD Fixed Wall Mount		19"-27"	nd	10 kg	18 mm	174 x 110 x 18 mm	102
GD22 19"-27" LCD Fixed Wall Mount		19"-27"	nd	10 kg	18 mm	201,5 x 150 x 18 mm	102
GD01 19"-27" LCD Swing Arm Wall Mount		19"-27"	180°	10 kg	min. 108 mm max. 472 mm	472 x 178 x 115 mm	103
GD02 19"-27" LCD Swing Arm Wall Mount		19"-27"	180°	10 kg	min. 108 mm max. 307 mm	307 x 178 x 115 mm	103
GD03 19"-27" LCD Wall Mount		19"-27"	nd	10 kg	25 mm	115 x 115 x 25 mm	104
GD04 19"-27" LCD Tilting Wall Mount		19"-27"	180°	10 kg	106 mm	115 x 115 x 106 mm	104
GD18 19"-27" LCD Swing Arm Wall Mount		19"-27"	180°	10 kg	min. 108 mm max. 792 mm	792 x 219 x 115 mm	105
GD20 19"-27" LCD Tilting Wall Mount		19"-27"	140°	10 kg	124 mm	174 x 126 x 124 mm	105
GD24 19"-27" LCD Multi Purpose Mount		19"-27"	145°	10 kg	91 mm	115 x 115 x 91 mm	106
GD25 19"-27" LCD Swing Arm Wall Mount		19"-27"	100°	10 kg	min. 108 mm max. 305 mm	305 x 159 x 125 mm	106
GD26 19"-27" LCD Swing Arm Wall Mount		19"-27"	100°	10 kg	600 mm	600 x 238 x 147 mm	107
MWM111 19"-27" LCD Wall Mount with gas spring		19"-27"	-90°/+90°	10 kg	min. 52 mm max. 460 mm	460 x 551 x 52 mm	107
MWM121 19"-27" LCD Wall Mount with gas spring		19"-27"	-90°/+90°	10 kg	min. 52 mm max. 684 mm	684 x 538 x 52 mm	108
MWM131 19"-27" LCD Wall Mount with gas spring		19"-27"	-90°/+90°	10 kg	min. 52 mm max. 908 mm	908 x 615 x 52 mm	108
MWM221 19"-27" LCD Wall Mount with gas spring		19"-27"	-90°/+90°	10 kg	min. 52 mm max. 532 mm	1064 x 715 x 52 mm	109
MWM241 19"-27" LCD Wall Mount with gas spring		19"-27"	-90°/+90°	10 kg	min. 52 mm max. 757 mm	1514 x 715 x 52 mm	109

▸ Desk Monitor Mounts

Index	Picture	Screen size	Adjustment possibility	Max. capacity	Dimensions (HxWxD)	Page
GD12 19"-27" LCD Desk Mount		19"-27"	-90°/+90°	10 kg	310 x 70 x 70 mm	110
GD15 19"-27" LCD Desk Mount with gas spring		19"-27"	-90°/+90°	10 kg	397 x 70 x 70 mm	110
SV01 19"-27" LCD Desk Mount		19"-27"	250°	10 kg	405 x 125 x 116 mm	111
SV02 19"-27" LCD Desk Mount with gas spring		19"-27"	250°	10 kg	405 x 125 x 366 mm	111
SV03 19"-27" LCD Desk Mount		19"-27"	160°	10 kg	405 x 125 x 700 mm	112
SV04 19"-27" LCD Desk Mount		19"-27"	250°	10 kg	405 x 125 x 528 mm	112
SV29 19"-27" LCD Slim Pole Desk Mount		19"-27"	-90°/+30°	10 kg	875 x 125 x 45 mm	113
SV30 19"-27" LCD Slim Pole Desk Mount		19"-27"	-90°/+30°	10 kg	450 x 125 x 45 mm	113
SV05 19"-27" Dual LCD Desk Mount		19"-27"	160°	20 kg	405 x 750 x 107 mm	114
SV06 19"-27" Dual LCD Desk Mount		19"-27"	150°	20 kg	405 x 1050 x 107 mm	114
SV07 19"-27" Quad-LCD Desk Mount		19"-27"	160°	40 kg	705 x 7500 x 107 mm	115
SV08 19"-27" Dual LCD Desk Mount		19"-27"	250°	20 kg	705 x 125 x 116 mm	115
SV09 19"-27" Triple LCD Desk Mount		19"-27"	160°	30 kg	405 x 1200 x 120 mm	116
SV10 19"-27" Triple LCD Desk Mount		19"-27"	160°	30 kg	405 x 1400 x 108 mm	116
SV11 19"-27" Triple LCD Desk Mount		19"-27"	160°	30 kg	405 x 1490 x 108 mm	117
SV12 19"-27" Penta-LCD Desk Mount		19"-27"	160°	50 kg	705 x 1200 x 107 mm	117
SV13 19"-27" Penta-LCD Desk Mount		19"-27"	160°	50 kg	705 x 1200 x 107 mm	118
SV14 19"-27" Hexa-LCD Desk Mount		19"-27"	160°	60 kg	705 x 1200 x 121 mm	118

Index	Picture	Screen size	Adjustment possibility	Max. capacity	Dimensions (HxWxD)	Page
SV15 19"-27" Hexa-LCD Desk Mount		19"-27"	160°	60 kg	705 x 1200 x 121 mm	119
SV16 19"-27" Hexa-LCD Desk Mount		19"-27"	160°	60 kg	705 x 1400 x 108 mm	119
SV17 19"-27" Hexa-LCD Desk Mount		19"-27"	160°	60 kg	705 x 1490 x 108 mm	120
SV18 19"-27" Quad-LCD Desk Mount		19"-27"	160°	40 kg	405 x 1856 x 108 mm	120
SV40 19"-27" LCD Desk Mount for Dual LCD´s Back to Back		19"-27"	-90°/+90°	10 kg	405 x 700 x 700 mm	121
MDM111 19"-27" LCD Desk Mount with gas spring		19"-27"	-90°/+90°	10 kg	460 x 156 x 119 mm	121
MDM121 19"-27" LCD Desk Mount with gas spring		19"-27"	-90°/+90°	20 kg	684 x 636 x 119 mm	122
MDM221 19"-27" Dual LCD Swing Arm Desk Mount with gas spring		19"-27"	-90°/+90°	20 kg	636 x 1064 x 119 mm	122
MDM241 19"-27" Dual LCD Swing Arm Desk Mount with gas spring		19"-27"	22,5°/-22,5°	20 kg	1150 x 732 x 119 mm	123

▸ Medical Monitor Mounts / Undershelf Monitor Mounts / Ceiling Monitor Mounts

Index	Picture	Screen size	Adjustment possibility	Max. capacity	Extension	Dimensions (HxWxD)	Page
MSA01 19"-27" Dual LCD Swing Arm Desk Mount with gas spring		19"-27"	22,5°/-22,5°	10 kg	1744 mm	1744 x 2545 x 2490 mm	123
MSA02 19"-27" Swing Arm Wall Mount		19"-27"	22,5°/-22,5°	10 kg	1610 mm	1610 x 884 x 160 mm	124
USM1 19"-27" Under Shelf LCD Arm		19"-27"	-12°/+90°	10 kg	299 mm	299 x 150 x 115 mm	124
SV31 19"-27" LCD Ceiling Mount		19"-27"	120°	10 kg	730 mm	730 x 119 x 135 mm	125
SV32 19"-27" Dual LCD Ceiling Mount		19"-27"	120°	10 kg	730 mm	730 x 238 x 135 mm	125
SV33 19"-27" Dual LCD Ceiling Mount		19"-27"	120°	20 kg	730 mm	730 x 600 x 135 mm	126
SV34 19"-27" LCD Adjustable Ceiling Mount		19"-27"	120°	10 kg	1020/1720 mm	1720 x 119 x 145 mm	126
SV35 19"-27" Dual LCD Ceiling Mount		19"-27"	120°	20 kg	1020/1720 mm	1720 x 119 x 145 mm	127

PROJECTOR MOUNTS

FEATURES

3 step connection – easy assembly and connection in just 3 steps

Adjustment – flexible mounting pattern adjustment for all projector models

Height adjustable – variable height adjustment via telescopic pole

Cable management – integrated cable management for clean easy installation

PM1 Universal Projector Ceiling Mount (3 fixing points)

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Telescopic mount including full height adjustment
3. Professional micro adjustment ensures precise installation
4. 360° full Horizontal adjustment
5. Max weight capacity 15 kg

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
656x450x450 mm	3 kg	15 kg	black silver white	550x240x85 mm	5908252960422 5908252960439 5908252962334

PM2 Universal Projector Ceiling Mount (4 fixing points)

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Telescopic mount including full height adjustment
3. Professional micro adjustment ensures precise installation
4. 360° full Horizontal adjustment
5. Max weight capacity 15 kg

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
656x480x480 mm	3,3 kg	15 kg	black silver white	550x240x80 mm	5908252960446 5908252960453 5908252962211

Universal Projector Ceiling Mount (3 fixing points) PM3

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Telescopic mount including full height adjustment
3. Professional micro adjustment ensures precise installation
4. 360° full Horizontal adjustment
5. Max weight capacity 15 kg

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
300x420x420 mm	2,6 kg	15 kg	black silver white	185x185x290 mm	5908252961580 5908252961597 5908252962228

Universal Projector Ceiling Mount (3 fixing points) PM6

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Distance from ceiling to projector 769 mm to 1155 mm
3. Professional micro adjustment ensures precise installation
4. 360° full Horizontal adjustment
5. Max weight capacity 15 kg



TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1155x545x454 mm	3,2 kg	15 kg	black silver	550x240x80 mm	5908252963683 5908252963829

PM8 Universal Projector Ceiling Mount

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Distance from the wall to projector 800 mm to 1293 mm
3. Internal Cable management in pole
4. Professional micro adjustment ensures precise installation
5. 360° full Horizontal adjustment

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1100x545x545 mm	3,8 kg	15 kg	black silver white	670x240x80 mm	5908252968824 5908252962174 5908252962242

PM7 Universal Projector Wall Mount (3 fixing points)

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Distance from the wall to projector 800 mm to 1293 mm
3. Internal Cable management in pole
4. Professional micro adjustment ensures precise installation
5. 360° full Horizontal adjustment

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1293x93x545 mm	5,6 kg	15 kg	black silver	900x300x200 mm	5908252963331 5908252963348

Universal Projector Wall Mount WPM1

FEATURES

1. Universal for all key projectors with multiple fixing points
2. Distance from ceiling to projector 650 mm to 1100 mm
3. Internal Cable management in pole
4. Professional micro adjustment ensures precise installation
5. 360° full Horizontal adjustment

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1293x236x545 mm	5,3 kg	15 kg	black silver white	900x300x200 mm	5908252967810 5908252962280 5908252962297

Indoor Projector Theft Delay Housing PSC21

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
420x380x230 mm	8 kg	15 kg	black silver white	430x390x240 mm	5908252963584 5908252963591 5908252963607

PSC22 Indoor Projector Theft Delay Housing

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
450x420x280 mm	8,7 kg	15 kg	black silver white	460x430x290 mm	5908252963614 5908252963621 5908252963638

TECHNICAL DATA

15 kg

PSC23 Indoor Projector Theft Delay Housing

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
530x530x280 mm	11,6 kg	15 kg	black silver white	540x540x290 mm	5908252963645 5908252963652 5908252963669

TECHNICAL DATA

15 kg

Projector Trolley PT01

FEATURES

1. Universal for all key projectors
2. Adjustable tilt angle from 5° to 15°
3. Height adjustment from 832 mm to 1217 mm
4. Professional industrial casters with brake mechansim

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1217x690x690 mm	11 kg	10 kg	black silver	1060x640x220 mm	5908252962631 5908252962648

Projector Trolley with shelf PT02

FEATURES

1. Universal for all key projectors
2. Adjustable tilt angle from 5° to 15°
3. Height adjustment from 832 mm to 1217 mm
4. Additional mounting shelf included
5. Professional industrial casters with brake mechansim

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1217x680x690 mm	12 kg	10 kg	black silver	1060x640x220 mm	5908252962631 5908252962648

▲ TROLLEYS

ACCESSORIES

PMA1 I-beam mount for projectors

Colors	Packageing dimensions	EAN
black silver	420x170x140 mm	5908252963157 5908252963164

PMALK100 Safety padlock

Colors	Packageing dimensions	EAN
silver	150x50x30 mm	5908252964499

PMARM100 Decorative finishing ring for projectors

Colors	Packageing dimensions	EAN
black silver white	150x50x30 mm	5908252964161 5908252964178 5908252964185

PMACB100 PC computer case

Colors	Packageing dimensions	EAN
black silver white	1800x360x140 mm	5908252964208 5908252964215 5908252964222

PMASL100 Load-bearing cables

Colors	Packageing dimensions	EAN
silver	1800x360x140 mm	5908252964154

PMAFP100 1 metre fixed length pole

Colors	Packageing dimensions	EAN
inox	1050x60x60 mm	5908252964260

PMAFP150 1,5 metre fixed length pole

Colors	Packageing dimensions	EAN
inox	1550x60x60 mm	5908252964277

PMAFP200 2 metre fixed length pole

Colors	Packageing dimensions	EAN
inox	2050x60x60 mm	5908252964284

PMAFP250 2,5 metre fixed length pole

Colors	Packageing dimensions	EAN
inox	2550x60x60 mm	5908252964291

PMAFP300 3 metre fixed length pole

Colors	Packageing dimensions	EAN
inox	3050x60x60 mm	5908252964253

PMAAP300 2-3 m adjustable length pole

Colors	Packageing dimensions	EAN
inox	2050x65x65 mm	5908252964246

TROLLEYS AND STANDS

FEATURES

Universal – Vesa mount and adapters included ensuring total screen compatibility

Adjustable – full Height and Tilt adjustment for mobility and varying requirements

Reliability – Professional casters with brake mechanism for security and safety

Flexibility – range of options from 1 to 4 screens for total mounting solution

STD01 32”-55” Screen Stand

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Fully height adjustable
3. Heavy stable base with optional mounting direct to floor
4. Full Internal Cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1700x800x350 mm	25 kg	80 kg	black grey	1800x360x140 mm	5908252962068 5908252962143

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

32”-55”

80 Kg

min. 310
max. 1700
mm

min.
50x95 mm
max.
750x460 mm

STD02 32”-47” Screen Stand

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Heavy stable base with optional mounting direct to floor
3. Full Internal Cable management
4. Max weight capacity 60 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1703x640x238 mm	30 kg	60 kg	black grey	1700x450x350 mm	5908252962068 5908252962143

TECHNICAL DATA

600x400
mm

32”-47”

60 Kg

600x400 mm

1703mm

19”-32” LCD Stand **STD03**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 0° to 45°
3. Heavy stable base with optional mounting direct to floor
4. Full Internal Cable management
5. Tubular chrome pole luxury finish

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1047x250x250 mm	15 kg	10 kg	black grey	1250x360x140 mm	5908252963065 5908252962310

19”-32” LCD Stand **STD04**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 0° to 45°
3. Heavy stable base with optional mounting direct to floor
4. Full Internal Cable management
5. Tubular chrome pole luxury finish

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1048,5x559x350 mm	22 kg	10 kg	black grey	1150x360x140 mm	5908252963072 5908252963089

▲ STANDS

STD15 32”-47” Screen Stand

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Heavy stable base
3. Full Internal Cable management
4. Tubular chrome pole luxury finish
5. Max weight capacity 30 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1200x720x480 mm	18,5 kg	30 kg	black grey	1200x550x150 mm	5908252965915 5908252965922

TECHNICAL DATA



STD16 32”-47” Screen Stand

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Fully height adjustable
3. Adjustable tilt angle from 6,5° to 12°
4. Heavy stable base
5. Full Internal Cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1720x800x570 mm	25 kg	30 kg	black grey	1800x360x140 mm	5908252965939 5908252965946

TECHNICAL DATA



19”-27” LCD Stand **SV52**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Fully height adjustable
3. Adjustable tilt angle from 120°
4. 360° rotation for portrait or horizontal screen option
5. Easy position adjustment

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1650x664x545 mm	15 kg	10 kg	black grey	1670x675x555 mm	5908252960767 5908252960774

42”-70” Flat Screen AV Trolley **TR1**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	We-ight	Max capacity	Colors	Packageing dimensions	EAN
1810x1127x694 mm	46 kg	80 kg	black grey	1800x730x140 mm	5908252960118 5908252960125

TR2 42”-70” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1810x1070x500 mm	58 kg	80 kg	black grey	1800x500x140 mm	5908252960781 5908252960798

TECHNICAL DATA



TR4 37”-60” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1700x1000x500 mm	45 kg	80 kg	black grey	1800x550x140 mm	5908252961399 5908252961405

TECHNICAL DATA



37”-60” Flat Screen AV Trolley **TR5**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1810x1144x690 mm	40 kg	80 kg	black grey	1800x730x140 mm	5908252961412 5908252961429

37”-60” Flat Screen AV Trolley **TR51**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1700x1140x703 mm	24,4 kg	80 kg	black silver	1800x730x140 mm	5908252965748 5908252965755

▲ TROLLEYS

TR5-2MC 37”-60” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 6,5° to 12°
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
2105x1144x702,5 mm	27,8 kg	80 kg	black silver	2100x730x140 mm	5908252961412

TECHNICAL DATA



TR7 37”-60” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Full Internal Cable management
3. Professional industrial casters with brake mechansim
4. Additional mounting shelf included
5. Tubular chrome pole luxury finish
6. Max weight capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1606x897x536 mm	65 kg	80 kg	black grey	1150x360x140 mm	5908252962273 5908252962518

TECHNICAL DATA



37”-60” Low Level Flat Screen Trolley **TR8**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Adjustable tilt angle from 0° to 28°
3. Full Internal Cable management
4. Tubular chrome pole luxury finish
5. Professional industrial casters with brake mechansim
6. Max weight capacity 80 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

37”-60”

1006 mm

min.
50x95 mm
max.
750x460 mm

80 kg

0/+28°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1006x1070x500 mm	45 kg	80 kg	black grey	1800x730x180 mm	5908252962525 5908252962532

37”-60” Flat Screen AV Trolley **TR9**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Full Internal Cable management
3. Professional industrial casters with brake mechansim
4. Additional mounting shelf included
5. Tubular chrome pole luxury finish
6. Max weight capacity 50 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

37”-60”

min.
895 mm
max.
1710 mm

min.
70x95 mm
max.
740x460 mm

50 kg

-6,5°/+12°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1784x600x640 mm	45 kg	50 kg	black grey	1800x730x180 mm	5908252963300 5908252963874

TR10 37”-60” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Full Internal Cable management
3. Professional industrial casters with brake mechansim
4. Additional mounting shelf included
5. Tubular chrome pole luxury finish
6. Max weight capacity 50 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1780x1023x767 mm	55 kg	50 kg	black grey	1000x550x180 mm	5908252963775 5908252963782

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

37”-60”

min.
1360 mm
max.
1640 mm

min.
70x95 mm
max.
740x460 mm

50 kg

-6,5°/+12°

TR17 32”-55” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Telescopic height adjustment from 1275 mm to 1775 mm
3. Professional industrial casters with brake mechansim
4. Adjustable tilt angle from 6,5° to 12°
5. Max weight capacity 50 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
2390x1127x694 mm	22,3 kg	50 kg	black silver	1800x730x140 mm	5908252968312 5908252967995

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

32”-55”

1590x2390 mm

min.
50x95 mm
max.
750x460 mm

50 kg

▲ TROLLEYS

60”-95” Flat Screen AV Trolley **TR18**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Full Internal Cable management
3. Fully height adjustable
4. Professional industrial casters with brake mechansim
5. Tubular chrome pole luxury finish
6. Max weight capacity 80 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

60”-95”

80 kg

1700 mm

min.
50x75 mm
max.
850x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1869x1705x815 mm	55,6 kg	80 kg	black silver	1800x730x140 mm	5908252968701 5908252969975

37”-60” Dual Flat Screen AV Trolley **TR12**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Full Internal Cable management
3. Professional industrial casters with brake mechansim
4. Tubular chrome pole luxury finish
5. Max weight capacity 50 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

37”-60”

100 kg

1950 mm

min.
70x95 mm
max.
740x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
2083x1116x802 mm	50 kg	100 kg	black grey	1200x600x140 mm	5908252960118 5908252963881

TTR1 40”-55” AV Trolley with telescopic height adjustment

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Telescopic height adjustment from 1590 mm to 2390 mm
3. Professional industrial casters with brake mechansim
4. Adjustable tilt angle from 6,5° to 12°
5. Max weight capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1175x1140x703 mm	25 kg	80 kg	black	1800x730x140 mm	5908252962327

TECHNICAL DATA



TTR1INOX 40”-55” AV Trolley with telescopic height adjustment

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Telescopic height adjustment from 1590 mm to 2390 mm
3. Professional industrial casters with brake mechansim
4. Adjustable tilt angle from 6,5° to 12°
5. Tubular chrome pole luxury finish
6. Max weight capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1175x1140x703 mm	25 kg	80 kg	black	1800x730x140 mm	5908252962440

TECHNICAL DATA



37”-60” Dual Flat Screen AV Trolley **TR3**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Adjustable tilt angle from 6,5° to 12°
4. Fully height adjustable
5. Full Internal Cable management
6. Professional industrial casters with brake mechansim

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

37”-60”

80 kg

min.
200 mm
max.
2000 mm

-6°/+9°

min.
50x95 mm
max.
750x460 mm

-3,3°/+3,3°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
2000x1070x500 mm	62 kg	80 kg	black grey	1800x730x140 mm	5908252960811 5908252960828

40”-47” Dual Flat Screen AV Trolley **TR14**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Tubular chrome pole luxury finish

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

40”-47”

80 kg

min.
300 mm
max.
1600 mm

min.
50x95 mm
max.
750x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1850x1800x815 mm	61,3 kg	80 kg	black silver	1800x730x140 mm	5908252968329 5908252968046

▲ TROLLEYS

TR20 50”-60” Dual Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Max weight capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1874x2200x815 mm	67,5 kg	80 kg	black silver	1800x730x140 mm	5908252968695 5908252968787

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

50”-60”

80 kg

min. 300 mm
max. 1700 mm

min. 50x75 mm
max. 750x460 mm

TR21 32”-37” Dual Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Max weight capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1805x1127x694 mm	50 kg	80 kg	black silver	1800x730x140 mm	5908252968633 5908252968817

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

32”-37”

80 kg

min. 300 mm
max. 1700 mm

min. 50x95 mm
max. 750x460 mm

37”-55” Dual Flat Screen AV Trolley **TR6.12**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Max weight capacity 100 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

37”-55”

120 kg

min.
520 mm
max.
1700 mm

min.
50x95 mm
max.
750x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1830x1700x800 mm	118,5 kg	100 kg	black grey	1800x360x140 mm	5908252962440 5908252962471

37”-55” Quad Flat Screen AV Trolley **TR6.22**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 4 screens
3. Fully height adjustable
4. Full Internal Cable management
5. Professional industrial casters with brake mechansim
6. Max weight capacity 120 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

37”-55”

120 kg

min.
520 mm
max.
1700 mm

min.
50x95 mm
max.
750x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1830x1700x800 mm	130 kg	120 kg	black grey	1250x360x140 mm	5908252962495 5908252962457

SV55 19”-27” Flat Screen AV Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Additional mounting shelf included
3. Fully height adjustable
4. Adjustable tilt angle 250°
5. 360° rotation for portrait or horizontal screen option
6. Easy position adjustment

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1270x690x690 mm	13 kg	10 kg	black silver	1060x620x220 mm	5908252963317 5908252963324

TECHNICAL DATA

SV53 19”-27” Universal Adjustable Trolley with PC Mount

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Additional mounting shelf included
3. Fully height adjustable
4. Adjustable tilt angle 250°
5. 360° rotation for portrait or horizontal screen option
6. Easy position adjustment

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1270x690x690 mm	18 kg	10 kg	black silver	1060x620x220 mm	5908252961832 5908252961269

TECHNICAL DATA

40”-55” Trolley for screen **ETR1**

FEATURES

1. Fully electrical height adjustable from 1030 mm to 1850 mm
2. Universal range of Vesa mounts and adapter included
3. Adjustable tilt angle from 6,5° to 12°
4. Professional industrial casters with brake mechansim

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1850x1144x703 mm	60 kg	40 kg	black	1200x800x1000 mm	5908252968343

40”-55” Trolley for screen **ETR2**

FEATURES

1. Fully electrical height adjustable from 1030 mm to 1850 mm
2. Universal range of Vesa mounts and adapter included
3. Adjustable tilt angle from 6,5° to 12°
4. Professional industrial casters with brake mechansim

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1835x1144x770 mm	37,4 kg	40 kg	black	1200x800x1000 mm	5908252968336

▲ ELECTRIC HEIGHT ADJUSTABLE TROLLEYS

ETRE3 Electric height adjustment trolley for screen 40”-60”

FEATURES

1. Fully electrical height adjustable
2. Universal range of Vesa mounts and adapter included
3. Adjustable tilt angle from 0° to 90°
4. Professional industrial casters with brake mechansim

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1182x1657x723 mm	56 kg	40 kg	black	1200x900x750 mm	5908252962396

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
mm

40”-60”

825 mm - 1657 mm

40 kg

0°/90°

min. 100x100 mm
max. 600x400 mm

ETRE4 Electric height adjustment trolley for screen 40”-60”

FEATURES

1. Fully electrical height adjustable
2. Universal range of Vesa mounts and adapter included
3. Adjustable tilt angle from 0° to 90°
4. Professional industrial casters with brake mechansim

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1382x1500x723 mm	60,6 kg	40 kg	black	1450x900x750 mm	5908252962594

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
800x200
800x400
mm

40”-60”

825 mm - 1500 mm

40 kg

0°/90°

min. 100x100 mm
max. 800x400 mm

42”-55” Video Conferencing Trolley with motorised height adjustment **EVCT155**

FEATURES

1. Fully electrical height adjustable
2. Universal range of Vesa mounts and adapter included
3. Includes storage space for PC and VC equipment
4. Professional casters with brake mechansim
5. Additional camera shelf included

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

42”-55”

950 mm -
1600 mm

80 kg

min.
100x100 mm
max.
600x400 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
987x1718x564 mm	97 kg	80 kg	black silver	1800x1000x650 mm	5908252962617 5908252962624

60”-70” Video Conferencing Trolley with motorised height adjustment **EVCT170**

FEATURES

1. Fully electrical height adjustable
2. Universal range of Vesa mounts and adapter included
3. Includes storage space for PC and VC equipment
4. Professional casters with brake mechansim
5. Additional camera shelf included

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
800x200
800x400
mm

60”-70”

950 mm -
1600 mm

80 kg

min.
100x100 mm
max.
600x400 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
987x1718x564 mm	97 kg	80 kg	black silver	1800x1000x650 mm	5908252962662 5908252962723

EVCT247 40”-47” Video Conferencing Trolley with motorised height adjustment

FEATURES

1. Fully electrical height adjustable
2. Universal range of Vesa mounts and adapter included
3. Includes storage space for PC and VC equipment
4. Flexible option of mounting 2 screens
5. Additional camera shelf included

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
987x1718x564 mm	97 kg	80 kg	black silver	1800x1000x650 mm	5908252962747 5908252962785

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
800x200
800x400
mm

40”-47”

min.
950 mm
max.
1600 mm

80 kg

min.
100x100 mm
max.
600x400mm

VCTR195 65”-95” Video Conferencing Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Suporting heavy displays up to 80 kg
3. Fully height adjustable
4. Includes storage space for PC and VC equipment
5. Full Internal Cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1845x1705x878 cm	84,6 kg	80 kg	black silver	1800x730x800 mm	5908252968305 5908252967896

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

65”-95”

80 kg

1700 mm

min.
50x95 mm
max.
750x460 mm

32”-37” Video Conferencing Trolley for Dual Screens **VCTR237**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Includes storage space for PC and VC equipment
4. Fully height adjustable
5. Full Internal Cable management

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

32”-37”

50 kg

min.
1590 mm
max.
2390 mm

min.
50x95 mm
max.
750x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1805x1127x694 mm	50 kg	80 kg	black silver	1800x730x140 mm	5908252968633 5908252968817

40”-47” Video Conferencing Trolley for Dual Screens **VCTR247**

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Includes storage space for PC and VC equipment
4. Fully height adjustable
5. Full Internal Cable management

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

40”-47”

80 kg

1700 mm

min.
50x95 mm
max.
750x460 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1850x1705x878 mm	93,4 kg	80 kg	black silver	1800x730x800 mm	5908252968718 5908252967940

▲ VIDEOCONFERENCING

VCTR260 50”-60” Video Conferencing Trolley for Dual Screens

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Flexible option of mounting 2 screens
3. Includes storage space for PC and VC equipment
4. Fully height adjustable
5. Full Internal Cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1874x2200x815 mm	67,5 kg	80 kg	black silver	1800x730x140 mm	5908252968695 5908252968787

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

50”-60”

80 kg

min. 300 mm
max. 1700 mm

min. 50x95 mm
max. 750x460 mm

MTR100 65”-70” Mega Trolley

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Suporting heavy displays up to 80 kg
3. Fully height adjustable
4. Includes storage space for PC and VC equipment
5. Full Internal Cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1520x860x700 mm	100 kg	120 kg	black	1250x360x140 mm	5908252966035

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

65”-70”

120 kg

min. 100x100 mm
max. 600x600 mm

FEATURES

1. Universal range of Vesa mounts and adapter included
2. Suporting heavy displays up to 80 kg
3. Fully height adjustable
4. Includes storage space for PC and VC equipment
5. Full Internal Cable management

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
800x200
800x400
mm

80”-85”

120 kg

min.
100x100 mm
max.
600x600 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1700x1110x870 mm	110 kg	120 kg	black	1250x360x140 mm	5908252966059

ACCESSORIES

CH1 Video Conferencing Camera Shelf for TR1/TR2/TR3 Trolley

Colors	Packageing dimensions	EAN
grey	550x250x150 mm	5908252962358

CH3 Video Conferencing Camera Holder for LWB, PWB, TWB

Colors	Packageing dimensions	EAN
grey	480x260x150 mm	5908252963416

CH4 Video Conferencing Camera Holder

Colors	Packageing dimensions	EAN
black silver	550x250x150 mm	5908252968190 5908252968042

CH5 Video Conferencing Camera Holder

Colors	Packageing dimensions	EAN
silver	550x250x150 mm	5908252962006

RH1 R1/2/3/6 rotating head

Colors	Packageing dimensions	EAN
black grey	650x520x120 mm	5908252962761 5908252962778

GD23 VESA Adapter for TR1/TR2/TR3 trolley

Colors	Packageing dimensions	EAN
black grey	160x225x20 mm	5908252961542 5908252961559

TRS1 Glass shelf for TR1/TR2/TR3 trolley

Colors	Packageing dimensions	EAN
black grey	650x520x120 mm	5908252960835 5908252960842

TRS2 Glass shelf with handle TR1/TR2/TR3 trolley

Colors	Packageing dimensions	EAN
black grey	650x520x120 mm	5908252960255 5908252960262

TRS4 Glass shelf with handle TR4/TR5/TR6 trolley

Colors	Packageing dimensions	EAN
black grey	650x250x120 mm	5908252960170 5908252961825



TRSM100 Metal shelf for TR4/TR5/TR6 trolley

Colors	Packageing dimensions	EAN
black silver inox	650x520x120 mm	5908252964307 5908252964314 5908252964321

TRSM200 Metal shelf for TR1/TR2/TR3 trolley

Colors	Packageing dimensions	EAN
black silver inox	650x520x120 mm	5908252964345 5908252964352 5908252964369

TRSM1 Metal shelf for TR1/TR2/TR3 trolley

Colors	Packageing dimensions	EAN
black	750x320x50 mm	5908252968244

TRSM3 Metal shelf for power strip

Colors	Packageing dimensions	EAN
black silver	265x127x215 mm	5908252968749 5908252967988

TRMS3 Metal shelf for mini PC

Colors	Packageing dimensions	EAN
black silver	380x95x50 mm	5908252967971 5908252967933

TRAD100 Metal shelf for documents

Colors	Packageing dimensions	EAN
black grey	650x520x120 mm	5908252964383 5908252964390

RF1 (4 pcs) Rubber feet (4x)

Colors	Packageing dimensions	EAN
black	135x135x55 mm	5908252960804

ACCESSORIES

TRAC100/101 Computer case with lock (small)

Colors	Packageing dimensions	EAN
black silver	550x250x450 mm	5908252964505 5908252964581

TRAC200/201 Computer case with lock (medium)

Colors	Packageing dimensions	EAN
black silver	650x300x550 mm	5908252964512 5908252964598

TRAC300/301 Computer case with lock (large)

Colors	Packageing dimensions	EAN
black silver	650x300x550 mm	5908252964529 5908252964536

TRAC600 Internal storage for rack mountable components

Colors	Packageing dimensions	EAN
Black	650x550x650 mm	5908252968220

SP1 Splitted poles for trolleys TR1/TR2/TR3

Colors	Packageing dimensions	EAN
grey	1020x130x140 mm	5908252963102

SP2 Splitted pole for trolleys TR4/TR5

Colors	Packageing dimensions	EAN
grey	1020x130x70 mm	5908252963119

FC1 Flightcase

Colors	Packageing dimensions	EAN
black grey white	420x170x140 mm	5908252963157 5908252963164 5908252965946

VIDEO WALLS

FEATURES

Professional adjustment – 8 point tooless adjustment for precision installation

Universal - design for all screens 42”-95” with dedicated spacer kit solution

Pop Out – simple effective push/pop out design for fast extension and retraction

Serviceable – Full service access including prop out stand for safety and convenience

VWPOP65-L

42-65" Quick Release Pop-Out Universal Video Wall Mount, Landscape

The VWPOP65-L is purpose designed for easy and fast servicing of recessed video wall installations. The simple one touch „pop out" mechanism allows full extension of the display out of the videowall so access and servicing can be performed quickly and safely. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.



FEATURES

1. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
2. Fast Release Pop-out mechanism provides convenient display access designed for used in enclosed or recessed installations.
3. Pop-out mechanism can be temporarily removed with security locking screw to prevent unintentional pop-outs.
4. Open Frame design allows full electrical wiring access and Integrated cable management strips make display-to-display cabling simple.
5. Sequentially drilled wall plate and precision dedicated display spacers eliminate-requirement for on-site calculations.
6. Fast Release Pop-Out mechanism can be adjusted for varying display weights, enuring safe and controlled extension.

tool-less micro-adjustment

security padlock

dedicated spacers

FEATURES

ISO 9001:2008
TÜVRheinland CERTIFIED
www.tuv.com ID 9105078152

100x100
600x400
mm

42"-65"

85-270 mm

0-28°

60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
824x530x80 mm	14 kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
850x560x110 mm	15.5 kg	brown box	5908252968589

TECHNICAL DATA



The VWPOP65-P is purpose designed for easy and fast servicing of recessed video wall installations. The simple one touch „pop out" mechanism allows full extension of the display out of the videowall so access and servicing can be performed quickly and safely. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.

FEATURES

1. Fast Release Pop-Out mechanism can be adjusted for varying display weights, ensuring safe and controlled extension.
2. Fast Release Pop-out mechanism provides convenient display access designed for used in enclosed or recessed installations.
3. Pop-out mechanism can be temporarily-removed with security locking screw to prevent unintentional pop-outs.
4. Open Frame design allows full electrical wiring access and Integrated cable management strips make display-to-display cabling simple.
5. Sequentially drilled wall plate and precision dedicated display spacers eliminate-requirement for on-site calculations.
6. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.

tool-less micro-adjustment

full service access

dedicated spacers

FEATURES

ISO 9001:2008 TÜVRheinland CERTIFIED www.tuv.com ID 9105078152

100x100
400x300
mm

42"-65"

85 mm -
270 mm

0-28°

60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
512x530x80 mm	12.5 kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
540x545x110 mm	14 kg	brown box	5908252968596

TECHNICAL DATA







VWFS65-L

42-65” Full Service Universal Video Wall, Landscape

The VWFS65-L is purpose designed for easy and fast servicing in video wall installations. The full service mechanism allows extension of the display out of the videowall so access and servicing can be performed quickly and safely. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.

FEATURES

1. Security padlock for anti-theft deterrent ensures increased security in public areas.
2. Mechanism extension includes upward tilt position with prop stands holding weight of display for easy and safe servicing.
3. Open Frame design allotws full electrical wiring access and Integrated cable management strips make display-to-display cabling simple
4. Sequentially drilled wall plate and precision dedicated display spacers eliminate requirement for on-site calculations.
5. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
6. Pull-out/prop-open mechanism provides quick and easy access for servicing.

tool-less micro-adjustment

security padlock

full service access

FEATURES

ISO 9001:2008
TÜVRheinland CERTIFIED
www.tuv.com ID 9105078152

100x100
600x400
mm

42”-65”

85 mm -
270 mm

0-28°

60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
824x500x80 mm	13.5 kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
850x560x110 mm	15 kg	brown box	5908252968572

TECHNICAL DATA



VWFS65-P

The VWFS65-P is purpose designed for easy and fast servicing in video wall installations. The full service mechanism allows extension of the display out of the videowall so access and servicing can be performed quickly and safely. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.

FEATURES

1. Security padlock for anti-theft deterrent ensures increased security in public areas.
2. Mechanism extension includes upward tilt position with prop stands holding weight of display for easy and safe servicing.
3. Open Frame design allotws full electrical wiring access and Integrated cable management strips make display-to-display cabling simple.
4. Sequentially drilled wall plate and precision dedicated display spacers eliminate requirement for on-site calculations.
5. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
6. Pull-out/prop-open mechanism provides quick and easy access for servicing.

tool-less micro-adjustment

security padlock

dedicated spacers

FEATURES

ISO 9001:2008

100x100
400x300
mm

42"-65"

85 mm -
270 mm

0-28°

60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
512x500x80 mm	12 kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
540x545x110 mm	13.5 kg	brown box	5908252968565

TECHNICAL DATA



VWFX65-L

42-65” Fixed Universal Video Wall, Landscape

The VWFX65-L is purpose designed for easy and fast installation in video wall installations and for forward tilting walls and manu board applications up to 45°. The VWFX65-L is designed for modular use with models VWPOP and VWFS or alternatively where full service access is not required. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.



FEATURES

1. Security padlock for anti-theft deterrent ensures increased security in public areas.
2. Designed for use in forward tilting walls and menu board applications up to 45°.
3. Sequentially drilled wall plate and precision dedicated display spacers eliminate requirement for on-site calculations.
4. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
5. Adjustable VESA mounting patterns from 100 x 100 up to 600 x 400.
6. Modular mount for unlimited video wall display configurations, can be used with models VWPOP and VWFS.

tool-less micro-adjustment

security padlock

dedicated spacers

FEATURES

ISO 9001:2008

TÜVRheinland CERTIFIED

www.tuv.com ID 9105078152

100x100
600x400
mm

42”-65”

7,5 mm

60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
826x500x80 mm	11 kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
850x560x110 mm	12.5 kg	brown box	5908252968558

TECHNICAL DATA



The VWFX65-P is purpose designed for easy and fast installation in video wall installations and for forward tilting walls and manu board applications up to 45°. The VWFX65-L is designed for modular use with models VWPOP and VWFS or alternatively where full service access is not required. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.



FEATURES

1. Security padlock for anti-theft deterrent ensures increased security in public areas.
2. Designed for use in forward tilting walls and menu board applications up to 45°.
3. Sequentially drilled wall plate and precision dedicated display spacers eliminate requirement for on-site calculations.
4. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
5. Adjustable VESA mounting patterns from 100 x 100 up to 600 x 400.
6. Modular mount for unlimited video wall display configurations, can be used with models VWPOP and VWFS.

tool-less micro-adjustment

security padlock

dedicated spacers

FEATURES

ISO 9001:2008 TÜVRheinland CERTIFIED www.tuv.com ID 9105078152

100x100 400x300 mm

42"-65"

85 mm - 270 mm

0-28°

MAX KG 60 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
514x500x80 mm	9.5kg	60 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
540x545x110 mm	11 kg	brown box	5908252968602

TECHNICAL DATA







VWPOP95-L

70”-95” Quick Release Pop-Out Universal Video Wall Mount, Landscape

The VWPOP95-L is purpose designed for easy and fast servicing of recessed video wall installations. The simple one touch „pop out” mechanism allows full extension of the display out of the videowall so access and servicing can be performed quickly and safely. Tool-less micro-adjustment is included for seamless alignment of the displays and precision dedicated spacers eliminate requirement for on-site calculations and measurements.



FEATURES

1. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
2. Fast Release Pop-out mechanism provides convenient display access designed for used in enclosed or recessed installations.
3. Pop-out mechanism can be temporarily removed with security locking screw to prevent unintentional pop-outs.
4. Open Frame design allows full electrical wiring access and Integrated cable management strips make display-to-display cabling simple.
5. Sequentially drilled wall plate and precision dedicated display spacers eliminate-requirement for on-site calculations.
6. Fast Release Pop-Out mechanism can be adjusted for varying display weights, enuring safe and controlled extension.

tool-less micro-adjustment

security padlock

dedicated spacers

FEATURES

100x100
800x600
mm

100-310 mm

120 kg

ACCESORIES

SPACERS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
1084x700x100 mm	30 kg	120 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
1100x740x120 mm	31,5 kg	brown box	5908252968176

TECHNICAL DATA



The VWW2255POP-L is purpose designed for easy and fast servicing of recessed video wall installations. The simple one touch „pop out" mechanism allows full extension of the display out of the videowall so access and servicing can be performed quickly and safely.



FEATURES

1. Tool-less independent 8point micro-adjustment provides seamless alignment of the displays.
2. Pull-out/prop-open mechanism provides quick and easy access for servicing.
3. Open Frame design allows full electrical wiring access and integrated cable management strips make display-to-display cabling simple.
4. Adjustable VESA mounting patterns from 100 x 100 up to 600 x 400.

FEATURES

100x100
600x400
mm

55"

min.
100x100 mm
max.
600x400 mm

200 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors
2100x1210x100 mm	52 kg	200 kg	black

PACKAGEING SPECIFICATION

Dimensions	Weight	Package	EAN
2150x1300x150 mm	14 kg	brown box	5908252962600

TECHNICAL DATA



FLAT PANEL WALL MOUNTS

FEATURES

Level “**bubble**” – ensures quick and simple levelling even on uneven walls

Post Installation adjustment – fine correction for height and level for perfect positioning

Tilt adjustment – graduated tilt function allows incremental tilt for ideal viewing angle

Slimline – Ultra low profile design provides seamless integration to the wall

ECB100 32”-37” Superslim Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Spirit Level allows easy and accurate installation
4. Max. capacity 25 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
245x240x26 mm	0,54 kg	25 kg	black silver	250x130x30 mm	5908252968275 5908252968084

TECHNICAL DATA

100x100
200x200
mm

32”-37”

25 kg

26 mm

ECB200 37”-46” Superslim Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Spirit Level allows easy and accurate installation
4. Max. capacity 25 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
440x330x26,13 mm	0,83 kg	25 kg	black silver	450x130x30 mm	5908252963508 5908252968152

TECHNICAL DATA

100x100
200x200
300x300
400x300
mm

37”-46”

25 kg

26,13 mm

37”-46” Superslim Wall Mount **ECB300**

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Spirit Level allows easy and accurate installation
4. Max. capacity 25 kg

TECHNICAL DATA

100x100
200x200
300x300
400x300
400x400

37”-46”

25 kg

25 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
440x484x25 mm	0,9 kg	25 kg	black silver	490x130x30 mm	5908252968725 5908252968008

26”-40” Fixed Wall Mount **EWB100**

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Open frame design for easy wiring and installation access
4. Spirit Level allows easy and accurate installation
5. Max. capacity 40 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
mm

26”-40”

40 kg

25,5 mm

min.
60x65 mm
max.
440x337,5
mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
495x370 x25,5mm	1,5 kg	40 kg	black silver	500x205x35 mm	5908252963485 5908252963492

▲ SUPER SLIM FIXED WALL MOUNTS

EWB200 40”-65” Fixed Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Open frame design for easy wiring and installation access
4. Spirit Level allows easy and accurate installation
5. Max. capacity 40 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
850x470x25,5 mm	2,3 kg	40 kg	black silver	860x205x35 mm	5908252963508 5908252963515

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

40"-65”

40 kg

min
60x65 mm
max
825x427,5
mm

25,5 mm

SWM100 27”-40” Slim Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Security systems to prevent accidental screen movement
3. Slim profile for minimum distance from the wall
4. Max. capacity 20 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
502,4x366,6 x13,8 mm	1,7 kg	20 kg	black silver	600x130x40 mm	5908252964901 5908252964918

TECHNICAL DATA

200x100
200x200
300x300
mm

27"-40”

20 kg

13,8 mm

min.
200x95 mm
max.
300x305 mm

0°/8°

42”-55” Slim Wall Mount **SWM200**

FEATURES

1. Universal Vesa compatibility
2. Security systems to prevent accidental screen movement
3. Slim profile for minimum distance from the wall
4. Max. capacity 20 kg



TECHNICAL DATA

200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

42”-55”

40 kg

min.
200x95 mm
max.
800x405 mm

25,5 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
902,4x466,6 x13,8 mm	2,3 kg	40 kg	black silver	920x130x40 mm	5908252964925 5908252964932

26”-47” Fixed Wall Mount **LSM1**

FEATURES

1. Universal Vesa compatibility
2. Additional Mounting Options available
3. Padlock security included for theft protection
4. Slim profile for minimum distance from the wall
5. Heavy duty 3 mm professional gauge steel

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
mm

26”-47”

40 kg

min.
60x68 mm
max.
510x455 mm

25 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
565x500x25 mm	2,15 kg	40 kg	black silver	600x130x40 mm	5908252962907 5908252962914

▲ SUPER SLIM FIXED WALL MOUNTS

PSM1 37”-65” Fixed Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Additional Mounting Options available
3. Padlock security included for theft protection
4. Slim profile for minimum distance from the wall
5. Heavy duty 3 mm professional gauge steel

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
865x500 x25 mm	3,25 kg	40 kg	black silver	895x130x40 mm	5908252962945 5908252962952

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

37"-65”

40 kg

min.
60x68 mm
max.
820x455 mm

25 mm

TSM1 32”-47” Fixed Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Additional Mounting Options available
3. Padlock security included for theft protection
4. Slim profile for minimum distance from the wall
5. Heavy duty 3 mm professional gauge steel

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
594x500x 23,8 mm	1,95 kg	60 kg	black silver	620x105x40 mm	5908252962983 5908252963010

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
mm

32"-47”

60 kg

min.
100x70 mm
max.
510x460 mm

23,8 mm

37”-65” Fixed Wall Mount **XSM1**

FEATURES

1. Universal Vesa compatibility
2. Additional Mounting Options available
3. Padlock security included for theft protection
4. Slim profile for minimum distance from the wall
5. Heavy duty 3 mm professional gauge steel

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

37"-65”

60 kg

min.
60x70 mm
max.
815x460 mm

23,75 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
894x500x 23,75 mm	2,35 kg	60 kg	black silver	920x75x40 mm	5908252963027 5908252963034

32”-40” Fixed Wall Mount **PWM100**

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Open frame design for easy wiring and installation access
4. Security bolts to prevent accidental screen movement
5. Max. capacity 40 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
mm

32"-40”

40 kg

min.
100x95 mm
max.
400x310 mm

47 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
530x350x 47 mm	2,55 kg	40 kg	black silver	540x300x45 mm	5908252964949 5908252964956

PWM200 42”-55” Fixed Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Open frame design for easy wiring and installation access
4. Security bolts to prevent accidental screen movement
5. Max. capacity 50 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
724x450x49 mm	3,25 kg	50 kg	black silver	820x320x38 mm	5908252964963 5908252964970

TECHNICAL DATA

200x200
300x300
400x200
400x400
600x400
mm

42"-55”

50 kg

min.
200x195 mm
max.
600x410 mm

49 mm

LWB1 26”-42” Fixed Wall Mount

FEATURES

1. TUV safety certificate
2. Universal Vesa compatibility
3. Heavy duty 3 mm professional gauge steel
4. Security bolts to prevent accidental screen movement
5. Max. capacity 60 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
540x260x41 mm	3,1 kg	60 kg	black silver	540x300x45 mm	5908252960194 5908252960200

TECHNICAL DATA

75x75
100x100
200x100
200x200
400x200
mm

26"-42”

60 kg

min.
50x75 mm
max.
440x260 mm

41 mm

▲ FIXED WALL MOUNTS

FEATURES

1. TUV safety certificate
2. Universal Vesa compatibility
3. Heavy duty 3 mm professional gauge steel
4. Security bolts to prevent accidental screen movement
5. Max. capacity 80 kg



TECHNICAL DATA

100x100
200x100
200X200
300x300
400x200
400x400
600x400
mm

43”-46”

80 kg

min.
50x95 mm
max.
750x460 mm

41 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
800x500x41 mm	4,7 kg	80 kg	black silver	820x220x38 mm	5908252960156 5908252960163

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 80 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

65”-75”

80 kg

min.
50x95 mm
max.
850x460 mm

41 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
900x500x48,5 mm	5,3 kg	80 kg	black silver	910x220x40 mm	5908252960859 5908252960866

XWB1 80”-95” Fixed Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 110 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1260x540x42 mm	11,3 kg	110 kg	black silver	1280x320x60 mm	5908252960897 5908252960903

TECHNICAL DATA

200x200
300x300
400x200
400x400
600x400
800x200
800x400
1200x400
mm

80”-95”

110 kg

min.
100x125 mm
max.
1200x510
mm

42 mm

LWB3 26”-40” Portrait Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 60 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
350x490x41 mm	2,6 kg	60 kg	black silver	540x300x45 mm	5908252961566 5908252961573

TECHNICAL DATA

75x75
100x100
200x100
200x200
400x200
mm

26”-40”

60 kg

min.
50x75 mm
max.
295x462,5
mm

41 mm

42”-60” Portrait Wall Mount **PWB3**

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 80 kg

TECHNICAL DATA

100X100
200X100
200X200
300X300
400X200
400X400
600X400
mm

42”-60”

80 kg

min.
55x100 mm
max.
400x750 mm

44,6 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
458x780x44,6 mm	7 kg	80 kg	black silver	790x350x75 mm	5908252960910 5908252960927

65”-75” Portrait Wall Mount **TWB3**

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 60 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

65”-75”

80 kg

min.
55x100 mm
max.
495x920 mm

44,6 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
550x950x44,6 mm	9,8 kg	80 kg	black silver	1280x320x60 mm	5908252961252 5908252961900

XWB3 80”-95” Portrait Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Heavy duty 3 mm professional gauge steel
3. Security bolts to prevent accidental screen movement
4. Max. capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
600x1245x41 mm	9,8 kg	80 kg	black silver	1280x320x60 mm	5908252961924 5908252961917

TECHNICAL DATA



SWM150 26”-47” Slim Tilt Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Security systems to prevent accidental screen movement
3. Adjustable Tilt Angle included from 0° to 10°
4. Slim profile for minimum distance from the wall

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
502,4x450x21 mm	3 kg	35 kg	black silver	550x150x80 mm	5908252965830 5908252965847

TECHNICAL DATA



42”-55” Slim Tilt Wall Mount **SWM250**

FEATURES

1. Universal Vesa compatibility
2. Security systems to prevent accidental screen movement
3. Adjustable Tilt Angle included from 0° to 10°
4. Slim profile for minimum distance from the wall

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x400
mm

42”-55”

45 kg

0-10°

21 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
902,4x450x21 mm	3,2 kg	45 kg	black silver	950x150x80 mm	5908252965861 5908252965885

26”-40” Tilt Wall Mount **LWB2**

FEATURES

1. TUV safety certificate
2. Security bolts to prevent accidental screen movement
3. Adjustable Tilt Angle included from 5° to 13°
4. Heavy duty 3 mm professional gauge steel
5. Max. capacity 60 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
400x200
mm

min. 70x65 mm
max. 450x260 mm

26”-40”

60 kg

-6°/+12°

75,33 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
540x300x41 mm	4,7 kg	60 kg	black silver	548x180x80 mm	5908252960217 5908252960224

PWB2 42”-60” Tilt Wall Mount

FEATURES

1. TUV safety certificate
2. Security bolts to prevent accidental screen movement
3. Adjustable Tilt Angle included from 6,5° to 12°
4. Heavy duty 3 mm professional gauge steel
5. Max. capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
800x500x77,4 mm	5,5 kg	80 kg	black silver	805x220x80 mm	5908252960170 5908252960187

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

42”-60”

80 kg

min. 70x95 mm
max. 740x460 mm

-6,5°/+12°

77,4 mm

TWB2 60”-65” Tilt Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Security bolts to prevent accidental screen movement
3. Adjustable Tilt Angle included from 6° to 11°
4. Heavy duty 3 mm professional gauge steel
5. Max. capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
910x220x75 mm	6,5 kg	80 kg	black silver	910x220x75 mm	5908252960873 5908252960880

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

60”-65”

80 kg

77,4 mm

min. 70x95 mm
max. 845x460 mm

-6°/+11°

26”-40” Tilt Wall Mount **EWB150**

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Adjustable Tilt Angle included from 0° to 12°
4. Open frame design for easy wiring and installation access
5. Spirit Level allows easy and accurate installation

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
400x600
mm

26”-40”

min. 60x65 mm
max. 440x427,5 mm

40 kg

48,75 mm

/+12°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
495x470x48,75 mm	2,2 kg	40 kg	black silver	500x205x65 mm	5908252963522 5908252963539

42”-65” Tilt Wall Mount **EWB250**

FEATURES

1. Universal Vesa compatibility
2. Slim profile for minimum distance from the wall
3. Adjustable Tilt Angle included from 0° to 12°
4. Open frame design for easy wiring and installation access
5. Spirit Level allows easy and accurate installation

TECHNICAL DATA

75x75
100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

42”-65”

min. 60x65 mm
max. 825x427,5 mm

40 kg

48,75 mm

/+12°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
850x470x48,75 mm	2,65 kg	40 kg	black silver	860x205x65 mm	5908252963546 5908252963553

▲ TILTING WALL MOUNTS

AVS1 26”-60” Wall Mounting System

FEATURES

1. Universal Vesa compatibility
2. Additional mounting shelf included
3. Security bolts to prevent accidental screen movement
4. Includes cable management
5. Max. capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
400x1225,8x83,4 mm	9,8 kg	80 kg	black silver	900x410x100 mm	5908252961870 5908252962426

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
800x200
800x400
mm

26”-60”

80 kg

83,4 mm

min. 50x75 mm
max. 850x460 mm

-6°/+12°

AVS2 26”-60” Wall Mounting System

FEATURES

1. Universal Vesa compatibility
2. Security bolts to prevent accidental screen movement
3. Includes cable management
4. Max. capacity 30 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
540x788x184 mm	11,2 kg	30 kg	black	800x550x145 mm	5908252961528

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min. 70x95 mm
max. 845x460 mm

30 kg

184 mm

26”-60”

32”-50” Swing Arm Wall Mount **PWS2**

FEATURES

1. Universal Vesa compatibility
2. Adjustable wall extension from 62 to 638 mm
3. Slim profile for minimum distance from the wall
4. Adjustable Tilt Angle included from 0° to 10°
5. Security bolts to prevent accidental screen movement

TECHNICAL DATA

200x200
400x200
400x400
600x200
600x400
mm

32”-50”

25 kg

/-10°

90°-90°

62/638 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
638x660x440 mm	6,8 kg	25 kg	black silver	700x300x80 mm	5908252965892 5908252965908

26”-40” Swing Arm Wall Mount **LWR1**

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 6° to 12°
3. Full articulation enables easier maintenance
4. Includes cable management
5. Max. capacity 60 kg

TECHNICAL DATA

75x75
100x100
200x100
200x200
400x200
mm

26”-40”

60 kg

-6,5°/+12°

min. 70x65 mm
max. 450x260 mm

456 mm

90°/90°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
456x540x300 mm	6,6 kg	60 kg	black silver	245x130x585 mm	5908252961818 5908252961931

LWS1 26”-40” Swing Arm Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 2° to 14°
3. Easy position adjustment via 3 rotational axis
4. Adjustable wall extension from 197 to 611 mm
5. Includes cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
611x540x300 mm	12 kg	60 kg	black silver	345x180x585 mm	5908252962235 5908252962433

TECHNICAL DATA



PWR1 42”-55” Swing Arm Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 6,5° to 12°
3. Full articulation enables easier maintenance
4. Includes cable management
5. Max. capacity 80 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
458x800x500 mm	7,5 kg	80 kg	black silver	810x270x105 mm	5908252961801 5908252961955

TECHNICAL DATA



42”-55” Swing Arm Wall Mount **PWS1**

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 6° to 14°
3. Adjustable wall extension from 169 to 613 mm
4. Full articulation enables easier maintenance
5. Max. capacity 80 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

42”-55”

min. 50x95 mm
max. 750x460 mm

80 kg

613 mm

-8,5°/+ 8,5°

-2°/+14°

90°-90°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
613x800x500 mm	10 kg	80 kg	black silver	810x280x950 mm	5908252961795 5908252961948

42”-52” Swing Arm Wall Mount **SFS1**

FEATURES

1. Universal Vesa compatibility
2. Adjustable wall extension from 120 to 440 mm
3. Full articulation enables easier maintenance
4. Max. capacity 80 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

42”-52”

min. 50x95 mm
max. 750x460 mm

80 kg

483 mm

90°/90°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
440x800x550 mm	9,6 kg	80 kg	black silver	820x220x230 mm	5908252963836 5908252963843

▲ SWING ARM WALL MOUNTS

RMSA1 42”-90” Heavy Duty Swing Arm Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Adjustable wall extension from 150 to 700 mm
3. Suporting heavy displays up to 120 kg
4. Adjustable Tilt Angle included from 10° to 10°
5. Vertical and horizontal position of the screen

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
700x850x520 mm	25 kg	120 kg	black silver	870x500x200 mm	5908252968664 5908252968800

TECHNICAL DATA



RPWS1 42”-70” Heavy Duty Swing Arm Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Adjustable wall extension from 150 to 800 mm
3. Suporting heavy displays up to 120 kg
4. Adjustable Tilt Angle included from 10° to 10°
5. Vertical and horizontal position of the screen

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
800x980x520 mm	22 kg	120 kg	black silver	1000x350x200 mm	5908252968404 5908252968015

TECHNICAL DATA

▲ HEAVY DUTY SWING ARMS

42”-60” Dual Swing Arm Wall Mount **PWS3**

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 2° to 14°
3. Full articulation enables easier maintenance
4. Includes cable management
5. Easy position adjustment via 3 rotational axis

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
734x800x500 mm	8,9 kg	80 kg	black silver	810x280x950 mm	5908252968114 5908252968077

42”-60” Dual Swing Arm Wall Mount **PWS4**

FEATURES

1. Universal Vesa compatibility
2. Adjustable Tilt Angle included from 2° to 14°
3. Full articulation enables easier maintenance
4. Includes cable management
5. Easy position adjustment via 3 rotational axis

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
783x800x500 mm	9,3 kg	80 kg	black silver	810x280x950 mm	5908252968060 5908252968794

▲ HEAVY DUTY SWING ARMS

CPWS1 42”-70” Corner Rotating Swing Arm Wall Mount

FEATURES

1. Universal Vesa compatibility
2. Adjustable wall extension from 150 to 800 mm
3. Suporting heavy displays up to 120 kg
4. Adjustable Tilt Angle included from 10° to 10°
5. Vertical and horizontal position of the screen

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
800x980x520 mm	21 kg	120 kg	black silver	1000x350x200 mm	5908252961535 5908252968121

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

min.
100x100 mm
max.
600x460 mm

42”-70”

120 kg

-10°/+10°

90°/90°

min.
150mm
max.
800 mm

CMLS2 32”-47” Adjustable Ceiling Mount

FEATURES

1. Universal range of Vesa mounting options
2. Telescopic mounting - with flexible height adjustment
3. Distance from the ceiling to the screen 1332 to 1770 mm
4. Internal Cable management in pole
5. Adjustable tilt angle from 0° to 22°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1170x800x183 mm	12,7 kg	30 kg	black silver	1000x300x150 mm	5908252968626 5908252968626

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min.
70x95 mm
max.
740x460
mm

90°/90°

30 kg

-0°/+22°

32”-47”

min.
1332 mm
max.
1770 mm

32”-65” LCD Ceiling Mount **CMS1**

FEATURES

1. Universal range of Vesa mounting options
2. Distance from the ceiling to the screen 1677 mm
3. Internal Cable management in pole
4. Adjustable tilt angle from 12,5° to 6,5°
5. Tubular chrome pole luxury finish

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min.
50x95 mm
max.
750x460
mm

32”-65”

1677 mm

60 kg

12,5°/+6,5°

90°-90°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1677x800x200 mm	14,2 kg	60 kg	black silver	1310x210x210 mm	5908252968374 5908252968671

32”-65” Adjustable Ceiling Mount **CMS2**

FEATURES

1. Universal range of Vesa mounting options
2. Telescopic mounting - with flexible height adjustment
3. Distance from the ceiling to the screen 1775 to 2575 mm
4. Internal Cable management in pole
5. Adjustable tilt angle from 0° to 22°

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min.
50x95 mm
max.
750x460
mm

60 kg

min.
1775 mm
max.
2575 mm

32”-65”

90°/90°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1775x800x200 mm	19,7 kg	60 kg	black silver	1310x210x210 mm	5908252968640 5908252961580

▲ FLAT SCREEN CEILING MOUNTS

CMS21 26”-55” Adjustable Ceiling Mount

FEATURES

1. Universal range of Vesa mounting options
2. Telescopic mounting - with flexible height adjustment
3. Distance from the ceiling to the screen 1375 to 2175 mm
4. Internal Cable management in pole
5. Adjustable tilt angle from 0° to 22°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
2175x800x200 mm	12 kg	60 kg	black silver	1310x210x210 mm	5908252968411 5908252961801

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min.
50x95 mm
max.
750x460
mm

60 kg

32”-65”

min.
1375 mm
max.
2175 mm

90°/90°

CMS3 32”-65” Dual Ceiling Mount

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 2 screens
3. Telescopic mounting - with flexible height adjustment
4. Distance from the ceiling to the screen 1375 to 2175 mm
5. Internal Cable management in pole

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1450x800x326 mm	25,4 kg	120 kg	black silver	1310x210x210 mm	5908252968398 5908252961849

TECHNICAL DATA

75x75
100x100
200x100
200x200
400x200
mm

min.
50x75 mm
max.
400x260
mm

-12°/+6,5°

32”-65”

min.
1450 mm
max.
2250 mm

120 kg

90°/90°

37”-55” Large Triple Ceiling Multi Directional Mount **CMS4**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 3 screens
3. Adjustable tilt angle from 12° to 6,5°
4. Internal Cable management in pole
5. Max. capacity 120 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x400
mm

min.
70x95 mm
max.
740x460
mm

90°/90°

120 kg

-12,5°/+6,5°

37”-55”

1355 mm

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1355x800x269,5 mm	25,4 kg	120 kg	black silver	1250x620x520 mm	5908252968428

32”-46” MSV1 Screen Desk Mount **MSV1**

FEATURES

1. Universal range of Vesa mounting options
2. Fully height adjustable
3. 360° rotation for portrait or horizontal screen option
4. Adjustable tilt angle from 0° to 40°
5. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA

75x75
100x100
200x100
200x200
mm

min.
50x95 mm
max.
750x460
mm

32”-46”

405 mm

210°

15 kg

40°

360°

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x220x120,5 mm	4 kg	15 kg	black silver	520x240x130 mm	5908252968688 5908252968091

MSV2 32”-46” MSV2 Screen Desk Mount

FEATURES

1. Universal range of Vesa mounting options
2. Fully height adjustable
3. 360° rotation for portrait or horizontal screen option
4. Adjustable tilt angle from 0° to 40°
5. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x220x120,5 mm	5,5 kg	15 kg	black silver	820x240x130 mm	5908252968367 5908252968169

TECHNICAL DATA



CMA1 I-beam mount

Weight	Packageing dimensions
80 kg	250x300x150 mm

CMARM60 Decorative finishing ring for ceiling mounts

Colors	Packageing dimensions	EAN
black grey	1800x360x140 mm	5908252965939 5908252965946

CMALK100 Safety padlock

Colors	Packageing dimensions	EAN
grey	1800x360x140 mm	5908252965939

CMASL100 Load-bearing cables

Colors	Packageing dimensions	EAN
grey	1800x360x140 mm	5908252965939

CMAPM100 Grip for Pole Mounting

Colors	Packageing dimensions	EAN
black grey white	100x100x230 mm	5908252965939

MENU BOARDS

FEATURES

Modular – purpose designed for flexibility, future updates and ease of installation

Tilt – tilt alignment feature in situ enables simple and exacting multi screen alignment

Adjustment – post installation adjustment allows free movement of screens and fine alignment

Security – security lock feature and optional lock kit for secure engagement in public areas

MB1155-L 40”-55” Ceiling Mount for x1 screen, Landscape

FEATURES

1. Universal range of Vesa mounting options
2. Internal Cable management in pole
3. Adjustable tilt angle from 0° to 20°
4. Max. capacity 60 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

60 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

MB2155-L 40”-55” Ceiling Menu board for x2 screens, Landscape



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 2 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 120 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

120 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

40”-55” Ceiling Menu board for x3 screens, Landscape **MB3155-L**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 3 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 120 kg



TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

180 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

40”-55” Ceiling Menu board for back to back screen, Landscape **MB1155BB-L**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 2 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 180 kg



TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

120 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

MB3155BB-L 40”-55” Ceiling Menu board for x3 back to back screens, Landscape



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 6 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 160 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

360 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

MB2155BB-L 40”-55” Ceiling Menu board for x2 back to back screens, Landscape



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 4 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 240 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

360 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

40”-55” Ceiling Mount for screen, Portrait **MB1155-P**

FEATURES

1. Universal range of Vesa mounting options
2. Internal Cable management in pole
3. Adjustable tilt angle from 0° to 20°
4. Max. capacity 60 kg



TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

60 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

40”-55” Ceiling Menu board for x2 screens, Portrait **MB2155-P**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 2 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 120 kg



TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

120 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

MB1155BB-P 40”-55” Ceiling Menu board for back to back screens, Portrait



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 2 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 120 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

120 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

MB2155BB-P 40”-55” Ceiling Menu board for x2 back to back screens, Portrait



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 4 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 240 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

240 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

40”-55” Menu board for multiscreens configuration wall mount, Landscape **MB155W-L**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation
3. Adjustable tilt angle from 0° to 20°
4. Certificated for public use installation
5. Heavy-duty design

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

60 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

40”-55” Ceiling Menu board for x3 screens, triangle, Landscape **MB355T-L**

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 3 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 120 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

180 kg

min.
50x75 mm
max.
400x260
mm

40”-55”

0°/20°

MB455Q-L 40”-55” Ceiling Menu board for x4 screens, Squared, Landscape

FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 4 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 240 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

240 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

MB455BBS-L 40”-55” Ceiling Menu board for x4 screens, back-to back, Stacked mounts, Landscape



FEATURES

1. Universal range of Vesa mounting options
2. Allows multiple installation of 4 screens
3. Internal Cable management in pole
4. Adjustable tilt angle from 0° to 20°
5. Max. capacity 240 kg

TECHNICAL DATA

100x100
200x100
200x200
300x300
400x200
400x400
600x200
600x400
mm

240 kg

40”-55”

min.
50x75 mm
max.
400x260
mm

0°/20°

MONITOR MOUNTS

FEATURES

Full range options – including desk, wall and ceiling designs

Ergonomic – space saving solutions with ergonomic features

Vesa – compatibility with monitors from 75x75 to 200x200

Adjustment – Fully adjustable including height, tilt and swivel

GD21 19”-27” LCD Fixed Wall Mount

FEATURES

1. Slim profile for minimum distance from the wall
2. Heavy duty 3mm professional gauge steel
3. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
174x110x18 mm	1 kg	10 kg	black grey	160x225x20 mm	5908252961153 5908252961160

TECHNICAL DATA

GD22 19”-27” LCD Fixed Wall Mount

FEATURES

1. Slim profile for minimum distance from the wall
2. Heavy duty 3mm professional gauge steel
3. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
201,5x150x18 mm	1 kg	10kg	black grey	160x225x20 mm	5908252961177 5908252961184

TECHNICAL DATA

19”-27” LCD Swing Arm Wall Mount **GD01**

FEATURES

1. Increased flexibility of 2 axis of rotation
2. 360° rotation for portrait or horizontal screen option
3. Under arm cable management

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
472x178x115 mm	1.95 kg	10 kg	black grey	420x180x140 mm	5908252960279 5908252960286

19”-27” LCD Swing Arm Wall Mount **GD02**

FEATURES

1. Increased flexibility of 2 axis of rotation
2. 360° rotation for portrait or horizontal screen option
3. Under arm cable management

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
307x178x115 mm	2.5 kg	10 kg	black grey	425x250x100 mm	5908252960309 5908252960316

GD03 19”-27” LCD Wall Mount

FEATURES

1. Slim profile for minimum distance from the wall
2. 360° rotation for portrait or horizontal screen option
3. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
115x115x25 mm	0.55 kg	10 kg	black grey	135x135x55 mm	5908252960323 5908252960330

TECHNICAL DATA



GD04 19”-27” LCD Tilting Wall Mount

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable Tilt Angle included from 180°
3. Includes security screw-theft-protection
4. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
115x115x106 mm	0.8 kg	10 kg	black grey	115x120x120 mm	5908252960347 5908252960354

TECHNICAL DATA



19”-27” LCD Swing Arm Wall Mount **GD18**

FEATURES

1. Adjustable wall extension from 108 to 792 mm
2. Increased flexibility of 3 axis of rotation
3. 360° rotation for portrait or horizontal screen option
4. Under arm cable management

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
792x219x115 mm	2.5 kg	10 kg	black grey	425x250x100 mm	5908252961528 5908252961535

19”-27” LCD Tilting Wall Mount **GD20**

FEATURES

1. Slim profile for minimum distance from the wall
2. 360° rotation for portrait or horizontal screen option
3. Easy and simple installation in just 2 steps

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
174x126x124 mm	1.1 kg	10kg	black grey	200x140x140 mm	5908252961191 5908252961207

GD24 19”-27” LCD Multi Purpose Mount

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable Tilt Angle included from 145°
3. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
115x115x91 mm	1.1 kg	10 kg	black grey	200x140x140 mm	5908252961214 5908252961221

TECHNICAL DATA



GD25 19”-27” LCD Swing Arm Wall Mount

FEATURES

1. Adjustable wall extension from 108 to 305 mm
2. Increased flexibility of 2 axis of rotation
3. 360° rotation for portrait or horizontal screen option
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
305x159x125 mm	1.5 kg	10 kg	black grey	330x170x100 mm	5908252962556 5908252961443

TECHNICAL DATA



19”-27” LCD Swing Arm Wall Mount **GD26**

FEATURES

1. Adjustable wall extension from 108 to 600 mm
2. Increased flexibility of 3 axis of rotation
3. 360° rotation for portrait or horizontal screen option
4. Under arm cable management

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
600x238x147 mm	3.7 kg	10 kg	black grey	425x250x100 mm	5908252961450 5908252961467

19”-27” LCD Wall Mount with gas spring **MWM111**

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable arm length - from 52 to 460 mm
3. Professional gas spring loaded for widest range of adjustment
4. Easy and simple installation in just 2 steps

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
460x551x52 mm	4 kg	10 kg	black grey	760x320x130 mm	5908252963898 5908252963904

MWM121 19”-27” LCD Wall Mount with gas spring

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable arm length - from 52 to 684 mm
3. Professional gas spring loaded for widest range of adjustment
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
684x538x52 mm	4.9 kg	10 kg	black grey	650x520x130 mm	5908252963911 5908252963928

TECHNICAL DATA



MWM131 19”-27” LCD Wall Mount with gas spring

FEATURES

1. Adjustable arm length - from 52 to 908 mm
2. Increased flexibility via 3 axis of rotation
3. 360° rotation for portrait or horizontal screen option
4. Professional gas spring loaded for widest range of adjustment

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
908x615x52 mm	5.9 kg	10 kg	black grey	650x540x130 mm	5908252963935 5908252963942

TECHNICAL DATA



19”-27” LCD Wall Mount with gas spring **MWM221**

FEATURES

1. Flexible option of mounting 2 screens
2. Adjustable arm length - from 52 to 532 mm
3. Professional gas spring loaded for widest range of adjustment
4. 360° rotation for portrait or horizontal screen option

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1064x715x52 mm	7.5 kg	10 kg	black grey	650x520x130 mm	5908252963959 5908252963966

19”-27” LCD Wall Mount with gas spring **MWM241**

FEATURES

1. Flexible option of mounting 2 screens
2. Adjustable arm length - from 52 to 757 mm
3. Professional gas spring loaded for widest range of adjustment
4. 360° rotation for portrait or horizontal screen option

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1514x715x52 mm	9.5 kg	10 kg	black grey	1060x630x200 mm	5908252963973 5908252963980

GD12 19”-27” LCD Desk Mount

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable arm length- from 158 to 310 mm
3. Increased flexibility of 2 axis of rotation
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
310x70x70 mm	2 kg	10 kg	black grey	420x170x140 mm	5908252960361 5908252960378

TECHNICAL DATA

GD15 19”-27” LCD Desk Mount with gas spring

FEATURES

1. Professional gas spring loaded for widest range of adjustment
2. 360° rotation for portrait or horizontal screen option
3. Adjustable arm length - from 67 to 396 mm
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
397x70x70 mm	2.3 kg	10 kg	black grey	620x170x130 mm	5908252960385 5908252960392

TECHNICAL DATA



19”-27” LCD Desk Mount **SV01**

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Complete vertical and horizontal adjustability
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x125x116 mm	3.3 kg	10 kg	black grey	520x170x130 mm	5908252960408 5908252960415

19”-27” LCD Desk Mount with gas spring **SV02**

FEATURES

1. Professional gas spring loaded for widest range of adjustment
2. 360° rotation for portrait or horizontal screen option
3. Adjustable arm length- from 67 to 396 mm
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x125x366 mm	4.1 kg	10 kg	black grey	530x180x130 mm	5908252960460 5908252960477

SV03 19”-27” LCD Desk Mount

FEATURES

1. Adjustable arm length - from 10 to 700 mm
2. 360° rotation for portrait or horizontal screen option
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x125x700 mm	4.9 kg	10 kg	black grey	480x375x130 mm	5908252960484 5908252960491

TECHNICAL DATA

SV04 19”-27” LCD Desk Mount

FEATURES

1. Adjustable arm length - from 10 to 528 mm
2. 360° rotation for portrait or horizontal screen option
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x125x528 mm	4.4 kg	10 kg	black grey	520x170x130 mm	5908252960507 5908252960514

TECHNICAL DATA



19”-27” LCD Slim Pole Desk Mount **SV29**

FEATURES

1. Distance from desk to the screen 530 mm to 875 mm
2. Adjustable Tilt Angle included from 90° to 30° degrees.
3. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN	Index
875x125x45 mm	2.2 kg	10 kg	black grey	540x130x120 mm	5908252962082 5908252962105 5908252962112 5908252962136	SV29Ac-B SV29Cc-B SV29As-B SV29Cs-B

19”-27” LCD Slim Pole Desk Mount **SV30**

FEATURES

1. Distance from desk to the screen 530 mm to 875 mm
2. Adjustable Tilt Angle included from 90° to 30° degrees.
3. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN	Index
450x125x45 mm	2 kg	10 kg	black grey	340x130x120 mm	5908252961092 5908252962051 5908252962075 5908252962044	SV30Ac-B SV30Cc-B SV30As-B SV30Cs-B

SV05 19”-27” Dual LCD Desk Mount

FEATURES

1. Flexible option of mounting 2 screens
2. 360° rotation for portrait or horizontal screen option
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x750x107 mm	4.9 kg	20 kg	black grey	650x210x160 mm	5908252960521 5908252960538

SV06 19”-27” Dual LCD Desk Mount

FEATURES

1. Flexible option of mounting 2 screens
2. Adjustable arm length - from 10 to 525 mm
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x1050x107 mm	6.8 kg	20 kg	black grey	560x220x140 mm	5908252961603 5908252961610

19”-27” Quad-LCD Desk Mount **SV07**

FEATURES

1. Flexible option of mounting 4 screens
2. Complete vertical and horizontal adjustability
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x7500x107 mm	7.5 kg	40 kg	black grey	820x190x120 mm	5908252960545 5908252960552

19”-27” Dual LCD Desk Mount **SV08**

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Complete vertical and horizontal adjustability
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x125x116 mm	4.9 kg	20 kg	black grey	820x190x120 mm	5908252960569 5908252960576

SV09 19”-27” Triple LCD Desk Mount

FEATURES

1. Flexible option of mounting 3 screens
2. 360° rotation for portrait or horizontal screen option
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x1200x120 mm	6.9 kg	30 kg	black grey	1300x210x170 mm	5908252960583 5908252960590

TECHNICAL DATA

SV10 19”-27” Triple LCD Desk Mount

FEATURES

1. Flexible option of mounting 3 screens
2. 360° rotation for portrait or horizontal screen option
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x1400x108 mm	9.7 kg	30 kg	black grey	1450x210x170 mm	5908252960606 5908252960613

TECHNICAL DATA

19”-27” Triple LCD Desk Mount **SV11**

FEATURES

1. Flexible option of mounting 3 screens
2. Allows Parabolic layout of displays for Ergonomic solution
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x1490x108 mm	10.5 kg	30 kg	black grey	1520x210x170 mm	5908252960620 5908252960637

19”-27” Penta-LCD Desk Mount **SV12**

FEATURES

1. Flexible option of mounting 5 screens
2. 360° rotation for portrait or horizontal screen option
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1200x107 mm	10 kg	50 kg	black grey	1300x210x170 mm	5908252960644 5908252960651

SV13 19”-27” Penta-LCD Desk Mount

FEATURES

1. Flexible option of mounting 5 screens
2. Allows Parabolic layout of displays for Ergonomic solution
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1200x107 mm	10 kg	50 kg	black grey	1300x330x220 mm	5908252960668 5908252960675

TECHNICAL DATA

SV14 19”-27” Hexa-LCD Desk Mount

FEATURES

1. Flexible option of mounting 6 screens
2. Under arm cable management
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1200x121 mm	11.5 kg	60 kg	black grey	1300x210x170 mm	5908252960682 5908252960699

TECHNICAL DATA



19”-27” Hexa-LCD Desk Mount **SV15**

FEATURES

1. Flexible option of mounting 6 screens
2. Allows Parabolic layout of displays for Ergonomic solution
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1200x121 mm	11.5 kg	60 kg	black grey	1300x210x170 mm	5908252960705 5908252960712

19”-27” Hexa-LCD Desk Mount **SV16**

FEATURES

1. Flexible option of mounting 6 screens
2. Under arm cable management
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

TECHNICAL DATA

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1400x108 mm	14.5 kg	60 kg	black grey	1300x210x170 mm	5908252960729 5908252960736

SV17 19”-27” Hexa-LCD Desk Mount

FEATURES

1. Flexible option of mounting 6 screens
2. Allows Parabolic layout of displays for Ergonomic solution
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
705x1490x108 mm	14.5 kg	60 kg	black grey	1300x330x220 mm	5908252960743 5908252960750

TECHNICAL DATA



SV18 19”-27” Quad-LCD Desk Mount

FEATURES

1. Flexible option of mounting 4 screens
2. Allows Parabolic layout of displays for Ergonomic solution
3. Complete vertical and horizontal adjustability
4. Allows dual mounting options: through desk OR edge of desk

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x1856x108 mm	10 kg	40 kg	black grey	1900x210x170 mm	5908252963850 5908252963867

TECHNICAL DATA



LCD Desk Mount for Dual LCD´s Back to Back **SV40**

FEATURES

1. Flexible option of mounting 2 screens
2. 360° rotation for portrait or horizontal screen option
3. Allows dual mounting options: through desk OR edge of desk
4. Easy and simple installation in just 2 steps

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
405x700x700 mm	10 kg	10 kg	black silver	750x350x180 mm	5908252961849

19"-27" LCD Desk Mount with gas spring **MDM111**

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable arm length - from 52 to 460 mm
3. Professional gas spring loaded for widest range of adjustment
4. Easy and simple installation in just 2 steps

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
460x156x119 mm	5 kg	10 kg	black grey	760x320x130 mm	5908252964000 5908252963997

MDM121 19”-27” LCD Desk Mount with gas spring

FEATURES

1. 360° rotation for portrait or horizontal screen option
2. Adjustable arm length - from 52 to 684 mm
3. Professional gas spring loaded for widest range of adjustment
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
684x636x119 mm	6 kg	20 kg	black grey	650x520x130 mm	5908252964017 5908252964024

TECHNICAL DATA



MDM221 19”-27” Dual LCD Swing Arm Desk Mount with gas spring

FEATURES

1. Flexible option of mounting 2 screens
2. Adjustable arm length - from 52 to 532 mm
3. Professional gas spring loaded for widest range of adjustment
4. 360° rotation for portrait or horizontal screen option

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
636x1064x119 mm	10.5 kg	20kg	black grey	1060x630x200 mm	5908252964031 5908252964048

TECHNICAL DATA



19”-27” Dual LCD Swing Arm Desk Mount with gas spring **MDM241**

FEATURES

1. Flexible option of mounting 2 screens
2. Adjustable arm length - from 52 to 757 mm
3. Professional gas spring loaded for widest range of adjustment
4. 360° rotation for portrait or horizontal screen option

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1150x732x119 mm	8.5 kg	20 kg	black grey	1060x630x200 mm	5908252964055 5908252964062

19”-27” Adjustable LCD Ceiling Mount **MSA01**

FEATURES

1. Distance from the ceiling to screen 1593 mm to 2545 mm
2. Professional gas spring loaded for smooth vertical adjustment
3. Increased flexibility of 3 axis of rotation
4. 360° rotation for portrait or horizontal screen option
5. Full cable management

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1744x2545x2490 mm	23 kg	10 kg	black grey white	1050x620x350 mm	5908252962365 5908252962372 5908252962341

MSA02 19”-27” Swing Arm Wall Mount

FEATURES

1. Distance from the wall to screen up to 1610 mm
2. Professional gas spring loaded for smooth vertical adjustment
3. Increased flexibility of 3 axis of rotation
4. 360° rotation for portrait or horizontal screen option
5. Full cable management

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1610x884x160 mm	12 kg	10 kg	black grey white	1080x650x220 mm	5908252962563 5908252962587 5908252962570

TECHNICAL DATA



USM1 19”-27” Under Shelf LCD Arm

FEATURES

1. Optional under shelf assembly
2. Adjustable tilt angle from 12° to 90°
3. 360° rotation for portrait or horizontal screen option
4. Easy and simple installation in just 2 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
299x150x115 mm	1.5kg	10 kg	black grey	300x200x120 mm	5908252961986 5908252961993

TECHNICAL DATA



19”-27” LCD Ceiling Mount **SV31**

FEATURES

1. Distance from the ceiling to the screen up to 730 mm
2. 360° full Horizontal adjustment
3. Adjustable tilt angle 120°
4. Max. capacity 10 kg

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
730x119x135 mm	3.2 kg	10 kg	black grey	820x190x120 mm	5908252960934 5908252960941

19”-27” Dual LCD Ceiling Mount **SV32**

FEATURES

1. Allows multiple installation of 2 screens
2. Distance from the ceiling to the screen up to 730 mm
3. 360° full Horizontal adjustment
4. Adjustable tilt angle 120°
5. Max. capacity 10 kg

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
730x238x135 mm	3.7 kg	10 kg	black grey	820x190x120 mm	5908252960996 5908252961009

SV33 19”-27” Dual LCD Ceiling Mount

FEATURES

1. Allows multiple installation of 2 screens
2. Distance from the ceiling to the screen up to 730 mm
3. 360° full Horizontal adjustment
4. Adjustable tilt angle 120°
5. Max. capacity 10 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
730x600x135 mm	4.40 kg	20 kg	black grey	820x190x120 mm	5908252961016 5908252961023

TECHNICAL DATA



SV34 19”-27” LCD Adjustable Ceiling Mount

FEATURES

1. Telescopic mounting - with flexible height adjustment
2. Adjustable tilt angle 120°
3. 360° full Horizontal adjustment
4. Max. capacity 10 kg

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1720x119x145 mm	6.5kg	10 kg	black grey	1000x200x160 mm	5908252961627 5908252961634

TECHNICAL DATA



FEATURES

1. Telescopic mounting - with flexible height adjustment
2. Adjustable tilt angle 120°
3. 360° full Horizontal adjustment
4. Max. capacity 10 kg

TECHNICAL DATA



PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1720x119x145 mm	6.7 kg	20 kg	black grey	1000x200x160 mm	5908252961856 5908252961863

GDA01 VESA Adapter Plate 200x100

Colors	Packageing dimensions	EAN
black grey white	230x125x20 mm	5908252962181 5908252960293 5908252963478

GDA02 VESA Adapter Plate 200x200

Colors	Packageing dimensions	EAN
black grey white	225x225x20 mm	5908252962198 5908252961498 5908252963461

SVA01 Free Standing LCD Base Plate for SV Series

Colors	Packageing dimensions	EAN
black grey	480x400x70 mm	5908252961887 5908252961139

SVA02 Free Standing LCD Base Plate for SV Series

Colors	Packageing dimensions	EAN
black silver	1800x360x140 mm	5908252961122 5908252962389

CSV1 Split clamp for SV Series

Colors	Packageing dimensions	EAN
black	140x140x120 mm	5908252961887

GU81 PC Mount

Colors	Packageing dimensions	EAN
black silver	315x170x80 mm	5908252961276 5908252961283

TABLETS

FEATURES

One box - ready to use solution including mount, universal tablet bracket and accessories

Universal – complete range including iPad and universal brackets for key manufacturers

Modern Design – Slim mount casing with rounded corners for sleek look and touch

Security – lockable options and featuring security screws for safety in public areas

IPM01 iPad Mount

FEATURES

1. Flexible mounting options
2. Includes security screw-theft-protection
3. Low profile design
4. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
270x250x30 mm	0,8 kg	5 kg	black silver	290x270x50 mm	5908252964635 5908252964642 5908252964659

ITE1001 Indoor tablet enclosure - 10“

FEATURES

1. Flexible mounting options
2. Includes anti-theft system
3. Customization options
4. Low profile design
5. Easy and simple installation in just 3 steps

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
275x202x34 mm	1 kg	-	RAL palette	300x210x40 mm	5908252967834

Indoor tablet stand - 19” ITS1903

FEATURES

1. Full Internal Cable management
2. Heavy stable base
3. Adjustable tilt angle
4. Includes anti-theft system
5. Customization options

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
534x1161x350 mm	23 kg	-	RAL palette	1200x550x350 mm	5908252967841

Indoor tablet stand - 10” ITS1002

FEATURES

1. Full Internal Cable management
2. Heavy stable base
3. Adjustable tilt angle
4. Includes anti-theft system
5. Customization options

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
350x1084x350 mm	12 kg	-	RAL palette	1100x400x400 mm	5908252967827

INFOKIOSKS AND ENCLOSURES

FEATURES

Security - including security screws and door locks for theft protection

Easy Maintenance - full screen installation and electrical wiring access included

Universal – complete range of indoor and outdoor options including to IP65

Customization - full service options including designs , RAL colour, Laser cutting and Vinyl Wrap

IDS01 SERIES 19”-27” Indoor Kiosk

FEATURES

1. for 19”-27” LCD screen
2. Metal IP65 keyboard with trackball
3. Solid steel design
4. Tamper-proof glass
5. Easy and simple maintenance
6. Speakers

TECHNICAL DATA

19”-27”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1500x500x380 mm	50	silver	1600x600x600 mm	5908252964888

IDS02 SERIES 19”-27” Indoor Touch Kiosk

FEATURES

1. for 19”-27” LCD screen
2. Solid steel design
3. Thermal receipt printer
4. Easy and simple maintenance
5. Speakers

TECHNICAL DATA

19”-27”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1340x500x380 mm	50	silver	1400x600x420 mm	5908252965076

32”-42” Public Display Floor Stand **IDS03 SERIES**

FEATURES

1. for 32”-42” LCD touch screen
2. Solid steel design
3. Easy and simple maintenance

TECHNICAL DATA

32”-42”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1315x1000x600 mm	55	silver	1350x1100x1050 mm	5908252964802

32”-65” Public Display Kiosk **IDS04 SERIES**

FEATURES

1. for 32”-65” LCD touch screen
2. Modem design
3. Glass front
4. Easy maintenance
5. Solid steel design

TECHNICAL DATA

32”-65”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1992x780 400	130	black	2150x800x500 mm	5908252965045

IDS05 SERIES — 32”-65” Public Display Stand

FEATURES

1. Solid steel design
2. Tamper-proof glass
3. Easy and simple maintenance

TECHNICAL DATA

32”-65”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2011,5x950x218 mm	70 kg	black	2100x1100x600 mm	5908252964604

IDS06 SERIES — 32”-65” Public Display Kiosk

FEATURES

1. for 32”-65”” LCD screen
2. Solid steel design
3. Tamper-proof glass
4. Easy maintenance

TECHNICAL DATA

32”-65”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1980x950 x388,5	75 kg	white	2100x970x415 mm	5908252965007

42”-46” Public Display Stand **IDS07 SERIES**

FEATURES

1. Solid steel design
2. Tamper-proof glass
3. Internal ventilation system
4. Easy and simple maintenance

TECHNICAL DATA

42”-46”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2210x1235x295 mm	100 kg	black silver	2250x1250x310 mm	5908252962655 5908252962662

4x32”-42” back to back LCD Public Display Stand **IDS08 SERIES**

FEATURES

1. Solid steel design
2. Tamper-proof glass
3. Internal ventilation system
4. Accepts 4 screens
5. Easy and simple maintenance

TECHNICAL DATA

4x32”-65”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2500x1100x360 mm	100 kg	silver	2700x1300x500 mm	5908252964628

IDS09 SERIES 46”-55” Public Display Kiosk

FEATURES

1. Modern design
2. Glass front
3. Easy and simple maintenance

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2010x1050x400 mm	170 kg		2250x1150x500 mm	

TECHNICAL DATA

46”-55”

IDS010 SERIES 60”-70” Public Display Kiosk

FEATURES

1. Modern design
2. Glass front
3. Easy and simple maintenance
4. Easy and simple maintenance

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2200x1120x535 mm	250 kg		2300x1250x60 mm	

TECHNICAL DATA

60”-70”

19”-26” LCD Outdoor Display Stand **ODS01 SERIES**

FEATURES

1. for 19”-26” LCD screen
2. Metal IP65 Keyboard with trackball
3. Solid steel design
4. Tamper-proof glass
5. Easy and simple maintenance

TECHNICAL DATA

19”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1996x680 x398 mm	95 kg	silver	2100x700 x450 mm	5908252964895

40”-55” LCD Public Display Stand **ODS02 SERIES**

FEATURES

1. Solid steel design
2. Anti-glare tamper-proof glass
3. Internal ventilation system
4. Easy and simple maintenance

TECHNICAL DATA

46”

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
2210x1235 x295 mm	70 kg	silver	2250x1250 x635 mm	5908252962679

IEN01 SERIES — LCD/LED Indoor Enclosure

FEATURES

1. Modern design
2. Easy and Simple maintenance
3. Glass front

TECHNICAL DATA

46″

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions
1200x840x183 mm	60 kg	RAL palette	1300x900x230 mm

OEN01 SERIES — LCD Enclosure

FEATURES

1. Solid steel construction
2. Modern design
3. Tamper-proof glass
4. Internal ventilation system
5. Easy and simple maintenance
6. Front serviceable

TECHNICAL DATA

40″

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colors	Packageing dimensions	EAN
1110x720 x180 mm		40 kg	silver	1250x850 x250 mm	5908252965083

FEATURES

1. Solid steel design
2. Anti-glare tamper-proof glass
3. Internal ventilation system
4. Easy and simple maintenance

TECHNICAL DATA

46″

PRODUCT SPECIFICATION

Dimensions	Weight	Colors	Packageing dimensions	EAN
1777x1680x260 mm	185 kg	silver	2000x1750x350 mm	5908252965069

QUICK REFERENCE INDEX

PROJECTOR MOUNTS

PM1 - Universal Projector Ceiling Mount (3 fixing points) 20
PM2 - Universal Projector Ceiling Mount (4 fixing points) 20
PM3 - Universal Projector Ceiling Mount (3 fixing points) 21
PM6 - Universal Projector Ceiling Mount (3 fixing points) 21
PM8 - Universal Projector Ceiling Mount 22
PM7 - Universal Projector Wall Mount (3 fixing points) 22
WPM1 - Universal Projector Wall Mount 23
PSC21 - Indoor Projector Theft Delay Housing - small 23
PSC22 - Indoor Projector Theft Delay Housing - medium 24
PSC23 - Indoor Projector Theft Delay Housing - large 24
PT01 - Projector Trolley 25
PT02 - Projector Trolley with shelf 25

ACCESSORIES

PMA1 - I- beam mount for projectors 26
PMALK100 - Safety padlock 26
PMARM100 - Decorative finishing ring for projectors 26
PMACB100 - PC computer case 26
PMASL100 - Load-bearing cables 26
PMAFP100 - 1 metre fixed length pole 26
PMAFP150 - 1,5 metre fixed length pole 27
PMAFP200 - 2 metre fixed length pole 27
PMAFP250 - 2,5 metre fixed length pole 27
PMAFP300 - 3 metre fixed length pole 27
PMAAP300 - 2-3 m adjustable length pole 27

TROLLEYS AND STANDS

STD01 - 32"-55" Screen Stand 30
STD02 - 32"-47" Screen Stand 30
STD03 - 19"-32" LCD Stand 31
STD04 - 19"-32" LCD Stand 31
STD15 - 32"-47" Screen Stand 32
STD16 - 32"-47" Screen Stand 32
SV52 - 19"-27" LCD Stand 33
TR1 - 42"-70" Flat Screen AV Trolley 33
TR2 - 42"-70" Flat Screen AV Trolley 34
TR4 - 37"-60" Flat Screen AV Trolley 34
TR5 - 37"-60" Flat Screen AV Trolley 35
TR51 - 37"-60" Flat Screen AV Trolley 35
TR5-2MC - 37"-60" Flat Screen AV Trolley 36
TR7 - 37"-60" Flat Screen AV Trolley 36
TR8 - 37"-60" Low Level Flat Screen Trolley 37
TR9 - 37"-60" Flat Screen AV Trolley 37
TR10 - 37"-60" Flat Screen AV Trolley 38
TR17 - 32-55" Flat Screen AV Trolley 38
TR18 - 60"-95" Flat Screen AV Trolley 39
TR12 - 37"-60" Dual Flat Screen AV Trolley 39
TTR1 - 40"-55" AV Trolley with telescopic hight adjustment 40
TTR1INOX - 40"-55" AV Trolley with telescopic hight adjustment 40
TR3 - 37"-60" Dual Flat Screen AV Trolley 41
TR14 - 40"-47" Dual Flat Screen AV Trolley 41
TR20 - 50"-60" Dual Flat Screen AV Trolley 42
TR21 - 32"-37" Dual Flat Screen AV Trolley 42
TR6.12 - 37"-55" Dual Flat Screen AV Trolley 43
TR6.22 - 37"-55" Quad Flat Screen AV Trolley 43
SV55 - 19"-27" Flat Screen AV Trolley 44
SV53 - 19"-27" Universal Adjustable Trolley with PC Mount 44
ETR1 - ETR1 Trolley for screen 40"-55" with electric hight adjustment, (black colour) 45
ETR2 - ETR1 Trolley for screen 40"-55" with electric hight adjustment, (black colour) 45
ETRE3 - Electric hight adjust.trolley for screen 40"-60" 46
ETRE4 - Electric hight adjust. trolley for screen 40"-60" 46
VCT155 - 42"-55" Video Conferencing Trolley with electric hight adjustment 47
EVCT170 - Video Conferencing Trolley with motorised hight adjustment 47
VCT247 - 40"-47" Video Conferencing Trolley with electric hight adjustment 48
VCTR195 - 65"-95" Video Conferencing Trolley incl. CH5, incl TRSM3 and TRAC400 48
VCTR237 - 32"-37" Video Conferencing Trolley for Dual Screens incl. Camera shelf and glass shelf 49
EVCTR247 - 40"-47" Video Conferencing Trolley with motorised hight adjustment 49
VCTR260 - 50"-60" Video Conferencing Trolley for Dual Screens incl. CH5, incl TRSM3 and TRAC400 50
MTR100 - 65"-70" Mega Trolley 50
MTR101 - 80"-85" Mega Trolley 51

ACCESSORIES

CH1 - Video Conferencing Camera Shelf for TR1/TR2/TR3 Trolley 52
CH3 - Video Conferencing Camera Holder for LWB, PWB, TWB 52
CH4 - Video Conferencing Camrea Holder 52
CH5 - Video Conferencing Camera Holder 52
RH1 - R1/2/3/6 rotating head 52
GD23 - VESA Adapter for TR1/TR2/TR3 trolley 52
TRS1 - Glass shelf for TR1/TR2/TR3 trolley 52
TRS2 - Glass shelf with handle TR1/TR2/TR3 trolley 52
TRS4 - Glass shelf with handle TR4/TR5/TR6 trolley 53
TRSM100 - Metal shelf for TR4/TR5/TR6 trolley 53
TRSM200 - Metal shelf for TR1/TR2/TR3 trolley 53
TRSM1 - Metal shelf for TR1/TR2/TR3 trolley 53
TRSM3 - Metal shelf for power strip 53
TRMS3 - Metal shelf for mini PC 53
TRAD100 - Metal shelf for documents 53
RF1 (4 pcs) - Rubber feet (4x) 53
TRAC100/101 - Computer case with lock (small) 54
TRAC200/201 - Computer case with lock (medium) 54
TRAC300/301 - Computer case with lock (large) 54
TRAC600 - Internal storage for rack mountable components 54
SP1 - Splitted poles for trolleys TR1/TR2/TR3 54
SP2 - Splitted pole for trolleys TR4/TR5 54
FC1 - Flightcase 54

QUICK REFERENCE INDEX

VIDEO WALLS

VWPOP65-L - 42-65" Quick Release Pop-Out Universal Video Wall Mount, Landscape 56

VWPOP65-P - 42-65" Quick Release Pop-Out Universal Video Wall Mount, Portrait 57

VWFS65-L - 42-65" Full Service Universal Video Wall, Landscape 58

VWFS65-P - 42-65" Full Service Universal Video Wall, Portrait 59

VWFX65-L - 42-65" Full Service Universal Video Wall, Landscape 60

VWFX65-P - 42-65" Full Service Universal Video Wall, Portrait 61

VWPOP95-L- 70"-95" Quick Release Pop-Out Universal Video Wall Mount, Landscape 62

VWW2255POP-L - Video Wall pop-out for 4 screens 55", landscape 63

FLAT PANEL WALL MOUNTS

ECB100 - 32"-37" Superslim Wall Mount 66

ECB200 - 37"-46" Superslim Wall Mount 66

ECB300 - 37"-46" Superslim Wall Mount. VESA 400x300 67

EWB100 - 26"-40" Fixed Wall Mount. Weight capacity 40 kg. 67

EWB200 - 40"-65" Fixed Wall Mount.Weight capacity 40 kg. 68

SWM100 - 27"-40" Slim Wall Mount. Weight capacity 20 kg. 68

SWM200 - 42"-55" Slim Wall Mount. Weight capacity 40 kg. 69

LSM1 - 26"-47" Fixed Wall Mount. Weight capacity 40 kg. 69

PSM1 - 37"-65" Fixed Wall Mount. Weight capacity 40 kg. 70

TSM1 - 32"-47" Fixed Wall Mount. Weight capacity 60 kg. 70

XSM1 - 37"-65" Fixed Wall Mount. Weight capacity 60 kg. 71

PWM100 - 32"-40" Fixed Wall Mount. Weight capacity 40 kg. 71

PWM200 - 42"-55" Fixed Wall Mount. Weight capacity 50 kg. 72

LWB1 - 26"-42" Fixed Wall Mount. Weight capacity 60 kg. 72

PWB1 - 42"-60" Fixed Wall Mount. Weight capacity 80 kg. 73

TWB1 - 65"-75" Fixed Wall Mount. Weight capacity 80 kg. 73

XWB1 - 80"-95" Fixed Wall Mount. Weight capacity 110 kg. 74

LWB3 - 26"-40" Portrait Wall Mount. Weight capacity 60 kg. 74

PWB3 - 42"-60" Portrait Wall Mount. Weight capacity 80 kg. 75

TWB3 - 65"-75" Portrait Wall Mount. Weight capacity 80 kg. 75

XWB3 - 80"-95" Portrait Wall Mount. Weight capacity 80 kg. 76

SWM150 - 26"-47" Slim Tilt Wall Mount. Weight capacity 35 kg. 76

SWM250 - 42"-55" Slim Tilt Wall Mount. Weight capacity 45 kg. 77

LWB2 - 26"-40" Tilt Wall Mount. Weight capacity 60 kg. 77

PWB2 - 42"-60" Tilt Wall Mount. Weight capacity 80 kg. 78

TWB2 - 60"-65" Tilt Wall Mount. Weight capacity 80 kg. 78

EWB150 - 26"-40" Tilt Wall Mount.Weight capacity 40kg. 79

EWB250 - 42"-65" Tilt Wall Mount.Weight capacity 40 kg. 79

AVS1 - 26"-60" Wall Mounting System. Weight capacity 80 kg. 80

AVS2 - 26"-60" Wall Mounting System. Weight capacity 80 kg. 80

PWS2 - 32"-50" Swing Arm Wall Mount. 638 mm extension. 81

LWR1 - 26"-40" Swing Arm Wall Mount. 456 mm extension. 81

LWS1 - 26"-40" Swing Arm Wall Mount. 611 mm extension. 82

PWR1 - 42"-55" Swing Arm Wall Mount. 458 mm extension. 82

PWS1 - 42"-55" Swing Arm Wall Mount. 613 mm extension. 83

SFS1 - 42"-52" Swing Arm Wall Mount. 483 mm extension. 83

RMSA1 - 42"-90" Heavy Duty Swing Arm Wall Mount. Weight capacity 60 kg. 84

RPWS1 - 42"-70" Heavy Duty Swing Arm Wall Mount. Weight capacity 60 kg. 84

PWS3 - 42"-60" Dual Swing Arm Wall Mount. Weight capacity 80 kg. 85

PWS4 - 42"-60" Dual Swing Arm Wall Mount. Weight capacity 80 kg. 85

CPWS1 - 42-65" Corner Rotating Swing Arm Wall Mount. Weight capacity 80 kg 86

CMLS2 - 32"-47" Adjustable Ceiling Mount. Weight capacity 30 kg set 86

CMS1 - 32"-65" LCD Ceiling Mount. Weight capacity 60 kg set 87

CMS2 - 32"-65" Adjustable Ceiling Mount. Weight capacity 60 kg set 87

CMS21 - 26"-55" Adjustable Ceiling Mount 88

CMS3 - 32"-65" Dual Ceiling Mount. Weight capacity 120 kg set 88

CMS4 - 37"-55" Large Triple Ceiling Multi Directional Mount. 89

MSV1 - 32"- 46" MSV1 Screen Desk Mount 89

MSV2 - 32"-46" MSV2 Screen Desk Mount 90

ACCESSORIES

CMA1 - I-Beam Mount 91

CMARM60 - Decorative finishing ring for ceiling mounts 91

CMALK100 - Safety padlock 91

CMASL100 - Load-bearing cables 91

CMAPM100 - Grip for Pole Mounting 91

MENU BOARDS

MB1155-L - Ceiling Mount for x1 screen 40"-55", Landscape 94

MB2155-L - Ceiling Menu board for x2 screens 40"-55" , Landscape 94

MB3155-L - Ceiling Menu board for x3 screens 40"-55", Landscape 95

MB1155BB-L - Ceiling Menu board for back to back screen 40"-55", Landscape 95

MB3155BB-L - Ceiling Menu board for x3 back to back screens 40"-55", Landscape 96

MB2155BB-L - Ceiling Menu board for x2 back to back screens 40"-55", Landscape 96

MB1155-P - Ceiling Mount for screen 40"-55", Portrait 97

MB2155-P - Ceiling Menu board for x2 screens 40"-55", Portrait 97

MB1155BB-P - Ceiling Menu board for back to back screens 40"-55", Portrait 98

MB2155BB-P - Ceiling Menu board for x2 back to back screens 40"-55", Portrait 98

MB155W-L - Menu board for multiscreens configuration 40"-55", wall mount, Landscape 99

MB355T-L - Ceiling Menu board for x3 screens 40-55", triangle, Landscape 99

MB455Q-L - Ceiling Menu board for x4 screens 40"-55", Squared, Landscape 100

MB455BBS-L - Ceiling Menu board for x4 screens 40"-55", back-to back,stacked mounts, Landscape 100

QUICK REFERENCE INDEX

MONITOR MOUNTS

GD21 - 19"-27" LCD Fixed Wall Mount 102
GD22 - 19"-27" LCD Fixed Wall Mount 102
GD01 - 19"-27" LCD Swing Arm Wall Mount 103
GD02 - 19"-27" LCD Swing Arm Wall Mount 103
GD03 - 19"-27" LCD Wall Mount 104
GD04 - 19"-27" LCD Tilting Wall Mount 104
GD18 - 19"-27" LCD Swing Arm Wall Mount 105
GD20 - 19"-27" LCD Tilting Wall Mount 105
GD24 - 19"-27" LCD Multi Purpose Mount 106
GD25 - 19"-27" LCD Swing Arm Wall Mount 106
GD26 - 19"-27" LCD Swing Arm Wall Mount 107
MWM111 - 19"-27" LCD Wall Mount with gas spring 107
MWM121 - 19"-27" LCD Wall Mount with gas spring 108
MWM131 - 19"-27" LCD Wall Mount with gas spring 108
MWM221 - 19"-27" LCD Wall Mount with gas spring 109
MWM241 - 19"-27" LCD Wall Mount with gas spring 109
GD12 - 19"-27" LCD Desk Mount 110
GD15 - 19"-27" LCD Desk Mount with gas spring 110
SV01 - 19"-27" LCD Desk Mount 111
SV02 - 19"-27" LCD Desk Mount with gas spring 111
SV03 - 19"-27" LCD Desk Mount 112
SV04 - 19"-27" LCD Desk Mount 112
SV29 - 19"-27" LCD Slim Pole Desk Mount 113
SV30 - 19"-27" LCD Slim Pole Desk Mount 113
SV05 - 19"-27" Dual LCD Desk Mount 114
SV06 - 19"-27" Dual LCD Desk Mount 114
SV07 - 19"-27" Quad-LCD Desk Mount 115
SV08 - 19"-27" Dual LCD Desk Mount 115
SV09 - 19"-27" Triple LCD Desk Mount 116
SV10 - 19"-27" Triple LCD Desk Mount 116
SV11 - 19"-27" Triple LCD Desk Mount 117
SV12 - 19"-27" Penta-LCD Desk Mount 117
SV13 - 19"-27" Penta-LCD Desk Mount 118
SV14 - 19"-27" Hexa-LCD Desk Mount 118
SV15 - 19"-27" Hexa-LCD Desk Mount 119
SV16 - 19"-27" Hexa-LCD Desk Mount 119
SV17 - 19"-27" Hexa-LCD Desk Mount 120
SV18 - 19"-27" Quad-LCD Desk Mount 120
SV40 - 19"-27" LCD Desk Mount for Dual LCD's Back to Back 121
MDM111 - 19"-27" LCD Desk Mount with gas spring 121
MDM121 - 19"-27" LCD Desk Mount with gas spring 122
MDM221 - 19"-27" Dual LCD Swing Arm Desk Mount with gas spring 122
MDM241 - 19"-27" Dual LCD Swing Arm Desk Mount with gas spring 123
MSA01 - 19"-27" Adjustable LCD Ceiling Mount 123
MSA02 - 19"-27" Swing Arm Wall Mount 124
USM1 - 19"-27" Under Shelf LCD Arm 124
SV31 - 19"-27" LCD Ceiling Mount 125
SV32 - 19"-27" Dual LCD Ceiling Mount 125
SV33 - 19"-27" Dual LCD Ceiling Mount 126
SV34 - 19"-27" LCD Adjustable Ceiling Mount 126
SV35 - 19"-27" Dual LCD Ceiling Mount 127

ACCESSORIES

GDA01 - VESA Adapter Plate 200x100 128
GDA02 - VESA Adapter Plate 200x200 128
SVA01 - Free Standing LCD Base Plate for SV Series 128
SVA02 - Free Standing LCD Base Plate for SV Series 128
CSV1 - Split clamp for SV Series 128
GU81 - PC Mount 128

TABLETS

IPM01 - iPad Mount 130
ITE1001 - Indoor tablet enclosure - 10" 130
ITS1903 - Indoor tablet stand - 19" 131
ITS1002 - Indoor tablet stand - 10" 131

INFOKIOSKS AND ENCLOSURES

IDSO1 SERIES - 19"- 27" LCD Indoor Kiosk 134
IDSO2 SERIES - 19"- 27" LCD Indoor Touch Kiosk 134
IDSO3 SERIES - 32"- 42" Public Display Floor Stand 135
IDSO4 SERIES - 32"- 65" Public Display Kiosk 135
IDSO5 SERIES - 32"- 65" Public Display Stand 136
IDSO6 SERIES - 32"- 65" Public Display Kiosk 136
IDSO7 SERIES - 42"- 46" Public Display Stand 137
IDSO8 SERIES - 4x 32" - 42" back to back LCD Public Display Stand 137
IDSO9 SERIES - Public Display Kiosk 46" - 55" 138
IDSO10 SERIES - Public Display Kiosk 60" - 70" 138
ODS01 SERIES - 19"-26" LCD Outdoor Display Stand 139
ODS02 SERIES - 40"-55" LCD Public Display Stand 139
IEN01 SERIES - LCD/LED Indoor Enclosure 140
OEN01 SERIES - LCD Enclosure 140
OEN02 SERIES - Outdoor LCD Enclosure 141

EDBAK Ltd.
Piotrowice 186
23-107 Strzyżewice
Poland
Tel.: +48 81 562 81 19
Fax: +48 81 562 82 90
www.edbak.com
info@edbak.com